Index of Authors

ABELES, F. B. *see* POWANDA, M. C. 633–641
ALBANO, E. *see* GRAVELA, E. 509–512
ANDREW, P. W. *see* LOWRIE, D. B. 761–767
ANNERFELDT, J.-E. *see* YNGNER, T. 1–8
ANSELL, G. B. *see* SPANNER, S. 753–760
ANTHONY, C. *see* NETRUSOV, A. I. 353–360
AP REES, T. *see* LEIGH, R. A. 539–547
APITZ-CASTRO, R. *see* RIBBI-JAFFE, A. 449–454
ASAGAMI, H. *see* HINO, Y. 331–337
AURICCHIO, F. *see* ROTONDI, A. 581–587

BADAWY, A. A.-B., PUNJANI, N. F. & EVANS, M. Enhancement of rat brain tryptophan metabolism by chronic ethanol administration and possible involvement of decreased liver tryptophan pyrrolase activity 575–580
BAIRD, G. D., HEITZMAN, R. J., REID, I. M., SYMONDS, H. W. & LOMAX, M. A. Effects of food deprivation on ketonaemia, ketogenesis and hepatic intermediary metabolism in the non-lactating dairy cow 35–44
BANFIELD, J. *see* LEIGH, R. A. 539–547
BARTHOLEYNS, J., QUINTART, J. & BAUDHUIN, P. Inhibition of the discharge of endocytosed protein from phagosomes into lysosomes in hepatoma cells exposed to dimerized ribonuclease A 433–442
BAUDHUIN, P. *see* BARTHOLEYNS, J. 433–442
BEATRICE, M. C. & CHAPPELL, J. B. The respiratory chain of *Hydrogenomonas* H16 15–22
BECKER, K. *see* KEMMER, F. W. 733–741
BECKETT, G. J. *see* STRANGE, R. C. 71–78
BEESLEY, R. C. & FAUST, R. G. Sodium ion-coupled uptake of taurocholate by intestinal brush-border membrane vesicles 299–303
BENTABOULET, M., ROBIN, A. & KEPES, A. Artificially induced active transport of amino acid driven by the efflux of a sugar via a heterologous transport system in de-energized *Escherichia coli* 103–107
BERGER, M. *see* KEMMER, F. W. 733–741
BERRIDGE, M. J. & FAIN, J. N. Inhibition of phosphatidylinositol synthesis and the inactivation of calcium entry after prolonged exposure of the blowfly salivary gland to 5-hydroxytryptamine 59–69
BERRIDGE, M. J. *see also* FAIN, J. N. 45–58
BILLINGTON, D. *see* COLEMAN, R. 201–208
BLAIR, J. A. *see* CONNOR, M. J. 795–797; COOK, R. J. 651–659
BLONDEL, B. *see* NIESOR, E. J. 559–568
BORST-PAUWELS, G. W. F. H. *see* ROOMANS, G. M. 521–527
BOSTIAN, K. A. *see* POWANDA, M. C. 633–641
BRENCHLEY, G. V. *see* DOCHERTY, K. 361–366
BRONK, J. R. *see* SHEARS, S. B. 505–507
BURKE, J. F., DUFF, P. M. & PEARSON, C. K. Effect of drugs on deoxyribonucleic acid synthesis in isolated mammalian cell nuclei. Comparison with partially purified deoxyribonucleic acid polymerases 621–626
BURKE, J. F. & PEARSON, C. K. Deoxyribonucleic acid synthesis in isolated nuclei from baby-hamster kidney cells (BHK-21/C13). Characterization of the system 613–620

CAMPBELL, M. T. *see* WISHART, G. J. 443–447
CARLSTEDT, I. *see* SJÖBERG, I. 257–270
CERNIGLIA, C. E. *see* DODGE, R. H. 223–230
CHAPPELL, J. B. *see* BEATRICE, M. C. 15–22
CH'IH, J. J., DUHL, D. M., FAULKNER, L. S. & DEVLIN, T. M. Regulation of mammalian protein synthesis *in vivo*. Stimulated transport of nuclear ribonucleoprotein complexes to the cytoplasm after cycloheximide treatment 643–649
CH'IH, J. J. *see also* PROCYK, R. 501–504
COCKCROFT, S. & GOMPERTS, B. D. Evidence for a role of phosphatidylinositol turnover in stimulus–secretion coupling. Studies with rat peritoneal mast cells 681–687
COLEMAN, R., IQBAL, S., GODFREY, P. P. & BILLINGTON, D. Membranes and bile formation. Composition of several mammalian biles and their membrane-damaging properties 201–208
CONDE, R. D. Effect of hypophysectomy on the rates of protein synthesis and degradation in rat liver 725–731
CONNOR, M. J., PHEASANT, A. E. & BLAIR, J. A. The identification of *p*-acetamidobenzoate as a folate degradation product in rat urine 795–797
COOK, R. J. & BLAIR, J. A. The distribution and chemical nature of radioactive folates in rat liver cells and rat liver mitochondria 651–659
CÖSTER, L. *see* SJÖBERG, I. 257–270
COX, J. C., NICHOLLS, D. G. & INGLEDEW, W. J. Transmembrane electrical potential and transmembrane pH gradient in the acidophile *Thiobacillus ferro-oxidans* 195–200
CROSS, G. A. M. *see* JOHNSON, J. G. 689–697
CRYER, A. & JONES, H. M. The early development of white adipose tissue. Effects of litter size on the lipoprotein lipase activity of four adipose-tissue depots, serum immunoreactive insulin and tissue cellularity during the first four weeks of life in the rat 711–724
CUNNINGHAM, C. C. *see* SPACH, P. I. 23–33

DATTA, A. *see* SINGH, B. 427–431
DAWSON, R. M. C. *see* IRVINE, R. F. 497–500
DE HAAN, J. *see* LISMAN, J. J. W. 79–87
DE MATTEIS, F. *see* SINCLAIR, P. 529–538
DEVLIN, T. M. *see* CH'IH, J. J. 643–649; PROCYK, R. 501–504
DIANZANI, M. U. *see* GRAVELA, E. 509–512
DICE, J. F., HESS, E. J. & GOLDBERG, A. L. Studies on the relationship between the degradative rates of proteins *in vivo* and their isoelectric points 305–312
DOCHERTY, K., BRENCHLEY, G. V. & HALES, C. N. The permeability of rat liver lysosomes to sugars. Evidence for carrier-mediated facilitated diffusion 361–366
DODGE, R. H., CERNIGLIA, C. E. & GIBSON, D. T. Fungal metabolism of biphenyl 223–230
DUFF, P. M. *see* BURKE, J. F. 621–626
DUHL, D. M. *see* CH'IH, J. J. 643–649

ELLAR, D. J. *see* HOGARTH, C. 627–632
ENGELBRECHT, C. *see* YNGNER, T. 1–8
ERFLE, J. D. *see* SAUER, F. D. 165–172
EVANS, M. *see* BADAWY, A. A.-B. 575–580

FAIN, J. N. & BERRIDGE, M. J. Relationship between hormonal activation of phosphatidylinositol hydrolysis, fluid secretion and calcium flux in the blowfly salivary gland 45–58
FAIN, J. N. *see also* BERRIDGE, M. J. 59–69
FAULKNER, A. & JONES, C. T. The distribution of enzyme and isoenzyme activities between parenchymal and haematopoietic cells in the liver of the foetal guinea pig 89–95
FAULKNER, L. S. *see* CH'IH, J. J. 643–649
FAUST, R. G. *see* BEESLEY, R. C. 299–303
FOWLER, J. P. *see* POWANDA, M. C. 633–641
FOX, J. E. B. *see* HASLAM, R. J. 397–406
FRANSSON, L.-Å. *see* SJÖBERG, I. 257–270
FREEMAN, K. B. *see* WEBSTER, K. A. 147–158
FULLER, W. A. *see* LEIGH, R. A. 539–547

GANCEDO, J. M. *see* LÓPEZ, S. 769–776
GARLICK, P. J. *see* MCNURLAN, M. A. 373–379
GERDES, R. G. *see* ROSENBERG, H. 133–137
GIBBS, A. H. *see* SINCLAIR, P. 529–538
GIBSON, D. T. *see* DODGE, R. H. 223–230
GMAJ, P., MURER, H. & KINNE, R. Calcium ion transport across plasma membranes isolated from rat kidney cortex 549–557
GODFREY, P. P. *see* COLEMAN, R. 201–208
GOLDBERG, A. L. *see* DICE, J. F. 305–312; ODESSEY, R. 475–489
GOLDMANN, D. R., ROTH, K. S., LANGFITT, T. W., JR. & SEGAL, S. L-Proline transport by newborn rat kidney brush-border membrane vesicles 253–256
GOMPERTS, B. D. *see* COCKCROFT, S. 681–687
GORE, M. G. *see* HERON, C. 415–426
GRANT, M. E. *see* MENASHI, S. 777–784
GRAVELA, E., ALBANO, E., DIANZANI, M. U., POLI, G. & SLATER, T. F. Effects of carbon tetrachloride on isolated rat hepatocytes. Inhibition of protein and lipoprotein secretion 509–512
GREEN, J. R. & NORTHCOTE, D. H. Polyprenyl phosphate sugars synthesized during slime-polysaccharide production by membranes of the root-cap cells of maize (*Zea mays*) 661–671
GREENWELL, J. R. *see* TROTMAN, C. N. A. 159–164
GRENIER, J. F. *see* SIMON, P. M. 407–413
GRIES, F. A. *see* KEMMER, F. W. 733–741

HAFFEN, K. *see* SIMON, P. M. 407–413
HALES, C. N. *see* DOCHERTY, K. 361–366
HALPERIN, M. L. *see* TAYLOR, W. M. 381–389
HAROLD, F. M. *see* ROSENBERG, H. 133–137
HARRIS, E. J. Modulation of Ca^{2+} efflux from heart mitochondria 673–680
HASLAM, R. J., LYNHAM, J. A. & FOX, J. E. B. Effects of collagen, ionophore A23187 and prostaglandin E_1 on the phosphorylation of specific proteins in blood platelets 397–406
HAUER, E. C. *see* POWANDA, M. C. 633–641
HEITZMAN, R. J. *see* BAIRD, G. D. 35–44
HEMS, D. A. *see* KIRK, C. J. 493–496
HERBERG, L. *see* KEMMER, F. W. 733–741
HERON, C., GORE, M. G. & RAGAN, C. I. The effects of lipid phase transitions on the interaction of mitochondrial NADH–ubiquinone oxidoreductase with ubiquinol–cytochrome *c* oxidoreductase 415–426
HERS, H.-G. *see* VAN DE WERVE, G. 119–126
HESS, E. J. *see* DICE, J. F. 305–312
HINO, Y., ASAGAMI, H. & MINAKAMI, S. Topological arrangement in microsomal membranes of hepatic haem oxygenase induced by cobalt chloride 331–337
HINO, Y. & MINAKAMI, S. Electron-transport pathway of the NADH-dependent haem oxygenase system of rat liver microsomal fraction induced by cobalt chloride 323–329
HOGARTH, C. & ELLAR, D. J. Energy-dependence of calcium accumulation during sporulation of *Bacillus megaterium* KM 627–632
HÖLTTÄ, E., JÄNNE, J. & HOVI, T. Suppression of the formation of polyamines and macromolecules by DL-α-difluoromethylornithine and methylglyoxal bis-(guanylhydrazone) in phytohaemagglutinin-activated human lymphocytes 109–117
HOUSLAY, M. D. & PALMER, R. W. Lysophosphatidylcholines can modulate the activity of the glucagon-stimulated adenylate cyclase from rat liver plasma membranes 217–221
HOVI, T. *see* HÖLTTÄ, E. 109–117
HOWELL, S. L. & TYHURST, M. Interaction between insulin-storage granules and F-actin *in vitro* 367–371
HUBERT, E. *see* TAMULEVICIUS, P. 467–473
HUNTER, I. S. & KORNBERG, H. L. Glucose transport of *Escherichia coli* growing in glucose-limited continuous culture 97–101

IBBOTSON, G. E. & WILLIAMS, K. E. Rate of pinocytic capture of macromolecular substrates by rat yolk sac incubated in serum-free culture medium 785–792
INGLEDEW, W. J. *see* COX, J. C. 195–200
IQBAL, S. *see* COLEMAN, R. 201–208
IRVINE, R. F., LETCHER, A. J. & DAWSON, R. M. C. Fatty acid stimulation of membrane phosphatidylinositol hydrolysis by brain phosphatidylinositol phosphodiesterase 497–500

JÄNNE, J. *see* HÖLTTÄ, E. 109–117
JOHNSON, J. G. & CROSS, G. A. M. Selective cleavage of variant surface glycoproteins from *Trypanosoma brucei* 689–697
JONES, C. T. *see* FAULKNER, A. 89–95
JONES, H. M. *see* CRYER, A. 711–724

KAPRÁLEK, F. *see* NOVOTNÝ, Č. 237–240
KEDINGER, M. *see* SIMON, P. M. 407–413
KEIR, H. M. *see* MELVIN, M. A. L. 391–395
KEMMER, F. W., BERGER, M., HERBERG, L., GRIES, F. A., WIRDEIER, A. & BECKER, K. Glucose metabolism in perfused skeletal muscle. Demonstration of insulin resistance in the obese Zucker rat 733–741
KEPES, A. *see* BENTABOULET, M. 103–107
KINNE, R. *see* GMAJ, P. 549–557
KIRK, C. J., RODRIGUES, L. M. & HEMS, D. A. The influence of vasopressin and related peptides on glycogen phosphorylase activity and phosphatidylinositol metabolism in hepatocytes 493–496
KIVIRIKKO, K. I. *see* MAJAMAA, K. 313–322; TRYGGVASON, K. 127–131
KOREN, R. *see* SHOHAMI, E. 271–277
KORNBERG, H. L. *see* HUNTER, I. S. 97–101

KOZLOV, I. A., SHALAMBERIDZE, M. V., NOVIKOVA, I. Y., SOKOLOVA, N. I. & SHABAROVA, Z. A. Mixed anhydrides of nucleotides and mesitylenecarboxylic acid as new specific inhibitors of mitochondrial adenosine triphosphatase 339–343
KREBS, H. A. *see* WATFORD, M. 589–596
KULICK, D. *see* LIU, D. K. 241–244
KUUTTI-SAVOLAINEN, E.-R. *see* MAJAMAA, K. 313–322

LAKSHMANAN, J. Involvement of cytoskeletal structures in nerve-growth-factor-mediated induction of ornithine decarboxylase 245–248
LANGFITT, T. W., JR. *see* GOLDMANN, D. R. 253–256
LEIGH, R. A., AP REES, T., FULLER, W. A. & BANFIELD, J. The location of acid invertase activity and sucrose in the vacuoles of storage roots of beetroot (*Beta vulgaris*) 539–547
LETCHER, A. J. *see* IRVINE, R. F. 497–500
LEUNG, I. *see* MILLER, J. C. 9–13
LEWAN, L. *see* YNGNER, T. 1–8
LISMAN, J. J. W., DE HAAN, J. & OVERDIJK, B. Isolation of lysosomes from brain tissue. A separation method by means of alteration of mitochondrial and synaptosomal sedimentation properties 79–87
LIU, D. K., KULICK, D. & WILLIAMS, G. H. Ca^{2+}-stimulated ribonuclease. A new marker enzyme of differentiated rat mammary tissues 241–244
LOMAX, M. A. *see* BAIRD, G. D. 35–44
LÓPEZ, S. & GANCEDO, J. M. Effect of metabolic conditions on protein turnover in yeast 769–776
LOWRIE, D. B., ANDREW, P. W. & PETERS, T. J. Analytical subcellular fractionation of alveolar macrophages from normal and BCG-vaccinated rabbits with particular reference to heterogeneity of hydrolase-containing granules 761–767
LUND, P. *see* WATFORD, M. 589–596
LYNHAM, J. A. *see* HASLAM, R. J. 397–406

MAHADEVAN, S. *see* SAUER, F. D. 165–172
MAJAMAA, K., KUUTTI-SAVOLAINEN, E.-R., TUDERMAN, L. & KIVIRIKKO, K. I. Turnover of prolyl hydroxylase tetramers and the monomer-size protein in chick-embryo cartilaginous bone and lung *in vivo* 313–322
MAJAMAA, K. *see also* TRYGGVASON, K. 127–131
MALMSTRÖM, A. *see* SJÖBERG, I. 257–270
MCBLAIN, W. A. *see* SHYAMALA, G. 345–352
MCGADEY, J. *see* PAYNE, A. P. 597–604
MCNURLAN, M. A., TOMKINS, A. M. & GARLICK, P. J. The effect of starvation on the rate of protein synthesis in rat liver and small intestine 373–379
MELCHER, A. H. *see* YEN, E. H. K. 605–612
MELVIN, M. A. L. & KEIR, H. M. Polyamine replacement by magnesium ions in BHK-21/C13 cells 391–395
MENASHI, S. & GRANT, M. E. Studies on the collagen glucosyltransferase activity present in platelets and plasma 777–784
MILLER, J. C. & LEUNG, I. The effects of barbiturates on the metabolism of phosphatidic acid and phosphatidylinositol in rat brain synaptosomes 9–13
MINAKAMI, S. *see* HINO, Y. 323–329, 331–337
MINTZ, D. H. *see* NEISOR, E. J. 559–568
MONTANARO, L. *see* SPERTI, S. 233–236
MOORE, M. R. *see* PAYNE, A. P. 597–604
MUNRO, H. N. *see* TOMAS, F. M. 139–146
MURER, H. *see* GMAJ, P. 549–557

NETRUSOV, A. I. & ANTHONY, C. The microbial metabolism of C_1 compounds. Oxidative phosphorylation in membrane preparations of *Pseudomonas* AM1 353–360
NEWSHOLME, E. A. *see* ROWAN, A. N. 209–216
NICHOLLS, D. G. *see* COX, J. C. 195–200
NIESOR, E. J., WOLLHEIM, C. B., MINTZ, D. H., BLONDEL, B., RENOLD, A. E. & WEIL, R. Establishment of rat pancreatic endocrine cell lines by infection with simian virus 40 559–568
NORTHCOTE, D. H. *see* GREEN, J. R. 661–671
NOVIKOVA, I. Y. *see* KOZLOV, I. A. 339–343
NOVOTNÝ, Č. & KAPRÁLEK, F. Participation of quinone and cytochrome *b* in tetrathionate reductase respiratory chain of *Citrobacter freundii* 237–240

ODESSEY, R. & GOLDBERG, A. L. Leucine degradation in cell-free extracts of skeletal muscle 475–489
OHISALO, J. J. & STOUFFER, J. E. Adenosine, thyroid status and regulation of lipolysis 249–251
ORD, M. G. & STOCKEN, L. A. Nucleosomes from normal and regenerating rat liver 173–185
OVERDIJK, B. *see* LISMAN, J. J. W. 79–87

PALMER, R. W. *see* HOUSLAY, M. D. 217–221
PAPAHADJOPOULOS, D. *see* WEBSTER, K. A. 147–158
PARCE, J. W. *see* SPACH, P. I. 23–33
PATEL, H. V. *see* WEBSTER, K. A. 147–158
PAYNE, A. P., MCGADEY, J., MOORE, M. R. & THOMPSON, G. G. Changes in Harderian gland activity in the female golden hamster during the oestrous cycle, pregnancy and lactation 597–604
PEARSON, C. K. *see* BURKE, J. F. 613–620, 621–626
PERCY-ROBB, I. W. *see* STRANGE, R. C. 71–78
PETERS, T. J. *see* LOWRIE, D. B. 761–767
PHEASANT, A. E. *see* CONNOR, M. J. 795–797
PODOLSKY, D. K. & WEISER, M. M. Detection, purification and characterization of a human cancer-associated galactosyltransferase acceptor 279–287
POLI, G. *see* GRAVELA, E. 509–512
POWANDA, M. C., ABELES, F. B., BOSTIAN, K. A., FOWLER, J. P. & HAUER, E. C. Differential effect of clofibrate on inflammation-induced alterations in plasma proteins in the rat 633–641
PROCYK, R., DEVLIN, T. M. & CH'IH, J. J. Cycloheximide as a probe of fibrinogen synthesis 501–504
PUNJANI, N. F. *see* BADAWY, A. A.-B. 575–580

QUINTART, J. *see* BARTHOLEYNS, J. 433–442

RAGAN, C. I. *see* HERON, C. 415–426
RAUL, F. *see* SIMON, P. M. 407–413
REID, I. M. *see* BAIRD, G. D. 35–44
RENOLD, A. E. *see* NIESOR, E. J. 559–568
RIBBI-JAFFE, A. & APITZ-CASTRO, R. The effect of colchicine on human blood platelets under conditions of short-term incubation 449–454
RICHARDS, J. F. *see* SILVERSTEIN, A. M. 743–751
ROBERTSON, J. H. & WHEATLEY, D. N. Pools and protein synthesis in mammalian cells 699–709
ROBIN, A. *see* BENTABOULET, M. 103–107
ROBINSON, D. S. *see* SURI, B. S. 455–466
RODRIGUES, L. M. *see* KIRK, C. J. 493–496

ROOMANS, G. M. & BORST-PAUWELS, G. W. F. H. Interaction of cations with phosphate uptake by *Saccharomyces cerevisiae*. Effects of surface potential 521–527
ROSCIC, O. *see* TAMULEVICIUS, P. 467–473
ROSENBERG, H., GERDES, R. G. & HAROLD, F. M. Energy coupling to the transport of inorganic phosphate in *Escherichia coli* K12 133–137
ROTH, K. S. *see* GOLDMANN, D. R. 253–256
ROTONDI, A. & AURICCHIO, F. Oestrogen receptor of calf mammary gland. Purification by use of sodium bromide and heparin–Sepharose 581–587
ROWAN, A. N. & NEWSHOLME, E. A. Changes in the contents of adenine nucleotides and intermediates of glycolysis and the citric acid cycle in flight muscle of the locust upon flight and their relationship to the control of the cycle 209–216

SAUER, F. D., ERFLE, J. D. & MAHADEVAN, S. Methane synthesis without the addition of adenosine triphosphate by cell membranes isolated from *Methanobacterium ruminantium* 165–172
SEGAL, S. *see* GOLDMANN, D. R. 253–256
SHABAROVA, Z. A. *see* KOZLOV, I. A. 339–343
SHALAMBERIDZE, M. V. *see* KOZLOV, I. A. 339–343
SHEARS, S. B. & BRONK, J. R. The influence of thyroxine administered *in vivo* on the transmembrane protonic electrochemical potential difference in rat liver mitochondria 505–507
SHOHAMI, E. & KOREN, R. *S*-(*N*-Dansylaminoethyl)-6-mercaptoguanosine as a fluorescent probe for the uridine transport system in human erythrocytes 271–277
SHYAMALA, G. & MCBLAIN, W. A. Distinction between progestin- and glucocorticoid-binding sites in mammary glands. Apparent lack of cytoplasmic progesterone receptors in lactating mammary glands 345–352
SILVERSTEIN, A. M. & RICHARDS, J. F. Characterization of prolactin binding by membrane preparations from rat liver 743–751
SIMON, P. M., KEDINGER, M., RAUL, F., GRENIER, J. F. & HAFFEN, K. Developmental pattern of rat intestinal brush-border enzymic proteins along the villus–crypt axis 407–413
SINCLAIR, J. F. *see* SINCLAIR, P. 529–538
SINCLAIR, P., GIBBS, A. H., SINCLAIR, J. F. & DE MATTEIS, F. Formation of cobalt protoporphyrin in the liver of rats. A mechanism for the inhibition of liver haem biosynthesis by inorganic cobalt 529–538
SINGH, B. & DATTA, A. Induction of *N*-acetylglucosamine-catabolic pathway in spheroplasts of *Candida albicans* 427–431
SJÖBERG, I., CARLSTEDT, I., CÖSTER, L., MALMSTRÖM, A. & FRANSSON, L.-Å. Structure and metabolism of sulphated glycosaminoglycans in cultures of human fibroblasts. Structural characteristics of co-polymeric galactosaminoglycans in sequential extracts of fibroblasts during pulse–chase experiments 257–270
SLATER, T. F. *see* GRAVELA, E. 509–512
SODEK, J. *see* YEN, E. H. K. 605–612
SOKOLOVA, N. I. *see* KOZLOV, I. A. 339–343
SPACH, P. I., PARCE, J. W. & CUNNINGHAM, C. C. Effect of chronic ethanol administration on energy metabolism and phospholipase A_2 activity in rat liver 23–33
SPANNER, S. & ANSELL, G. B. Choline kinase and ethanolamine kinase activity in the cytosol of nerve endings from rat forebrain 753–760
SPERTI, S. & MONTANARO, L. Ricin and modeccin do not inhibit the elongation factor 1-dependent binding of aminoacyl-tRNA to ribosomes 233–236
STOCKEN, L. A. *see* ORD, M. G. 173–185
STOUFFER, J. E. *see* OHISALO, J. J. 249–251
STRANGE, R. C., BECKETT, G. J. & PERCY-ROBB, I. W. Nuclear and cytosolic distribution of conjugated cholic acid and radiolabelled glycocholic acid in rat liver 71–78
STREFFER, C. *see* TAMULEVICIUS, P. 467–473
SURI, B. S., TARG, M. E. & ROBINSON, D. S. The metabolic conversion of very-low-density lipoprotein into low-density lipoprotein by the extrahepatic tissues of the rat 455–466
SYMONDS, H. W. *see* BAIRD, G. D. 35–44

TÄLJEDAL, I.-B. Polarization of chlorotetracycline fluorescence in pancreatic islet cells and its response to calcium ions and D-glucose 187–193
TAMULEVICIUS, P., STREFFER, C., ROSCIC, O. & HUBERT, E. Localization of oxidized nicotinamide–adenine dinucleotide glycohydrolase in the mouse liver nuclear envelope 467–473
TARG, M. E. *see* SURI, B. S. 455–466
TAYLOR, W. M. & HALPERIN, M. L. Stimulation of glucose transport in rat adipocytes by insulin, adenosine, nicotinic acid and hydrogen peroxide. Role of adenosine 3′:5′-cyclic monophosphate 381–389
TERJUNG, R. L. The turnover of cytochrome *c* in different skeletal-muscle fibre types of the rat 569–574
THOMPSON, G. G. *see* PAYNE, A. P. 597–604
TOMAS, F. M., MUNRO, H. N. & YOUNG, V. R. Effect of glucocorticoid administration on the rate of muscle protein breakdown *in vivo* in rats, as measured by urinary excretion of N^{τ}-methylhistidine 139–146
TOMKINS, A. M. *see* MCNURLAN, M. A. 373–379
TROTMAN, C. N. A. & GREENWELL, J. R. Computed resolution and relative specific radioactivities of radiolabelled proteins synthesized by isolated gastric mucosal cells 159–164
TRYGGVASON, K., MAJAMAA, K. & KIVIRIKKO, K. I. Prolyl 3-hydroxylase and 4-hydroxylase activities in certain rat and chick-embryo tissues and age-related changes in their activities in the rat 127–131
TUDERMAN, L. *see* MAJAMAA, K. 313–322
TYHURST, M. *see* HOWELL, S. L. 367–371
TYLER, D. D. & WEBB, P. R. Purification and properties of the adenosine triphosphatase released from the liver mitochondrial membrane by chloroform 289–297

VAN DE WERVE, G. & HERS, H.-G. Mechanism of activation of glycogen phosphorylase by fructose in the liver. Stimulation of phosphorylase kinase related to the consumption of adenosine triphosphate 119–126

WALLIN, R. No strict coupling of vitamin K_1 (2-methyl-3-phytyl-1,4-naphthoquinone)-dependent carboxylation and vitamin K_1 epoxidation in detergent-solubilized microsomal fractions from rat liver 513–519
WATFORD, M., LUND, P. & KREBS, H. A. Isolation and metabolic characteristics of rat and chicken enterocytes 589–596

WEBB, P. R. *see* TYLER, D. D. 289–297
WEBSTER, K. A., PATEL, H. V., FREEMAN, K. B. & PAPAHADJOPOULOS, D. Interaction of mitochondrial malate dehydrogenase monomer with phospholipid vesicles 147–158
WEIL, R. *see* NIESOR, E. J. 559–568
WEISER, M. M. *see* PODOLSKY, D. K. 279–287
WHEATLEY, D. N. *see* ROBERTSON, J. H. 699–709
WILLIAMS, G. H. *see* LIU, D. K. 241–244
WILLIAMS, K. E. *see* IBBOTSON, G. E. 785–792
WIRDEIER, A. *see* KEMMER, F. W. 733–741
WISHART, G. J. & CAMPBELL, M. T. Demonstration of two functionally heterogeneous groups within the activities of UDP-glucuronosyltransferase towards a series of 4-alkyl-substituted phenols 443–447
WOLLHEIM, C. B. *see* NIESOR, E. J. 559–568

YEN, E. H. K., SODEK, J. & MELCHER, A. H. The effect of oxygen partial pressure on protein synthesis and collagen hydroxylation by mature periodontal tissues maintained in organ cultures 605–612
YNGNER, T., ENGELBRECHT, C., LEWAN, L. & ANNERFELDT, J.-E. Anabolism versus catabolism of [5-^{3}H]uridine and its relationship to ribonucleic acid labelling in mouse liver after partial hepatectomy 1–8
YOUNG, V. R. *see* TOMAS, F. M. 139–146

Index of Subjects

p-Acetamidobenzoate, identification of, as a metabolite of folates in rat urine (Connor, M. J., Pheasant, A. E. & Blair, J. A.) 795–797

N-Acetylglucosamine, induction of enzymes involved in the catabolism of, in spheroplasts of *Candida albicans* (Singh, B. & Datta, A.) 427–431

Acid β-fructofuranosidase, *see* β-Fructofuranosidase, acid

Actin, F-, interaction *in vitro* between, and insulin-storage granules from rat islets of Langerhans (Howell, S. L. & Tyhurst, M.) 367–371

Adenine nucleotides, changes in the concentrations of, and of intermediates of glycolysis and the tricarboxylic acid cycle in locust flight muscle upon flight and their relationship to the control of the cycle (Rowan, A. N. & Newsholme, E. A.) 209–216

Adenine nucleotides, modulation by, and other agents of the efflux of calcium ions from rat heart mitochondria (Harris, E. J.) 673–680

Adenosine 3′:5′-cyclic monophosphate, role of, in the effects of collagen, ionophore A23187 and prostaglandin E_1 on the phosphorylation of specific proteins in human platelets (Haslam, R. J., Lynham, J. A. & Fox, J. E. B.) 397–406

Adenosine 3′:5′-cyclic monophosphate, role of, in the stimulation by insulin, adenosine, nicotinic acid and hydrogen peroxide of the transport of glucose into rat adipocytes (Taylor, W. M. & Halperin, M. L.) 381–389

Adenosine diphosphate, effect of colchicine on the aggregation of human platelets induced by (Ribbi-Jaffe, A. & Apitz-Castro, R.) 449–454

Adenosine, involvement of thyroid hormones and, in the regulation of lipolysis in rat adipocytes (Ohisalo, J. J. & Stouffer, J. E.) 249–251

Adenosine, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by insulin, nicotinic acid, hydrogen peroxide and, of the transport of glucose into rat adipocytes (Taylor, W. M. & Halperin, M. L.) 381–389

Adenosine triphosphatase, membrane, mitochondrial, liver, rat, purification and properties of, released by treatment with chloroform of submitochondrial particles (Tyler, D. D. & Webb, P. R.) 289–297

Adenosine triphosphate, biosynthesis of methane without the addition of, by cell membranes isolated from *Methanobacterium ruminantium* (Sauer, F. D., Erfle, J. D. & Mahadevan, S.) 165–172

Adenosine triphosphate, evidence that the stimulation by fructose of the activity of glycogen phosphorylase kinase in isolated rat hepatocytes is related to consumption of (van de Werve, G. & Hers, H.-G.) 119–126

Adenylate cyclase, glucagon-stimulated, modulation by lysophosphatidylcholines of the activity of, of rat liver plasma membrane (Houslay, M. D. & Palmer, R. W.) 217–221

Adipocytes, rat, involvement of adenosine and thyroid hormones in the regulation of lipolysis in (Ohisalo, J. J. & Stouffer, J. E.) 249–251

Adipocytes, rat, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by insulin, adenosine, nicotinic acid and hydrogen peroxide of the transport of glucose into (Taylor, W. M. & Halperin, M. L.) 381–389

Adipose tissue, rat, effects of litter size on the concentration of insulin in the plasma and on the activity of lipoprotein lipase and the number and size of fat-cells in four depots of, during the first four weeks after birth of the animals (Cryer, A. & Jones, H. M.) 711–724

Alkaline phosphatase, *see* Phosphatase, alkaline

4-Alkylphenols, demonstration of two functionally heterogeneous groups within the activities of rat liver uridine diphosphate glucuronosyltransferases towards a series of, during perinatal development (Wishart, G. J. & Campbell, M. T.) 443–447

Amino acid, artificially induced active transport of, driven by the efflux of a sugar via a heterologous transport system in de-energized *Escherichia coli* (Bentaboulet, M., Robin, A. & Kepes, A.) 103–107

Amino acids, branched-chain, degradation of, by cell-free preparations from rat skeletal muscle (Odessey, R. & Goldberg, A. L.) 475–489

Amino acids, pools of, and kinetics of their incorporation into protein in HeLa cells (Robertson, J. H. & Wheatley, D. N.) 699–709

Aminoacyl-transfer ribonucleic acid, lack of inhibition by ricin and modeccin of the elongation factor 1-dependent binding of, to brine-shrimp ribosomes (Sperti, S. & Montanaro, L.) 233–236

5-Aminolaevulinate, formation of cobalt protoporphyrin during the inhibition by the administration of cobalt chloride of the incorporation of, into haem in rat liver (Sinclair, P., Gibbs, A. H., Sinclair, J. F. & De Matteis, F.) 529–538

Artemia salina, *see* Brine shrimp

Bacillus megaterium KM, dependence on energy of the accumulation of calcium ions during sporulation of (Hogarth, C. & Ellar, D. J.) 627–632

Barbiturates, effects of, on the metabolism of phosphatidate and phosphatidylinositol in rat brain synaptosomes (Miller, J. C. & Leung, I.) 9–13

BCG (anti-tuberculosis) vaccine, subcellular fractionation with particular reference to heterogeneity of hydrolase-containing granules of lung alveolar macrophages from normal rabbits and from rabbits treated with (Lowrie, D. B., Andrew, P. W. & Peters, T. J.) 761–767

Beet (*Beta vulgaris*) storage roots, location of acid β-fructofuranosidase and sucrose in vacuoles of (Leigh, R. A., ap Rees, T., Fuller, W. A. & Banfield, J.) 539–547

Beta vulgaris, *see* Beet

BHK cells, *see* Cells, kidney, baby-hamster

Bile acids, distribution of, in rat liver nuclei and cytosol after the administration of glycocholic acid (Strange, R. C., Beckett, G. J. & Percy-Robb, I. W.) 71–78

Bile salts, composition of, of biles from various mammalian species and their ability to damage membranes (Coleman, R., Iqbal, S., Godfrey, P. P. & Billington, D.) 201–208

Biles, mammalian, composition of, from various species and their ability to damage membranes (Coleman, R., Iqbal, S., Godfrey, P. P. & Billington, D.) 201–208

Biphenyl, metabolism of, by *Cunninghamella elegans* and other fungi (Dodge, R. H., Cerniglia, C. E. & Gibson, D. T.) 223–230

Blood platelets, human, effects of colchicine on, under conditions of short-term incubation (Ribbi-Jaffe, A. & Apitz-Castro, R.) 449–454
Blood platelets, human, role of adenosine 3′:5′-cyclic monophosphate in the effects of collagen, ionophore A23187 and prostaglandin E_1 on the phosphorylation of specific proteins in (Haslam, R. J., Lynham, J. A. & Fox, J. E. B.) 397–406
Blood platelets, mammalian, comparison of the properties of collagen glucosyltransferases present in, and plasma of various species (Menashi, S. & Grant, M. E.) 777–784
Blood, rat, differential effects of clofibrate on alterations in the concentrations of plasma proteins in, induced by inflammation (Powanda, M. C., Abeles, F. B., Bostian, K. A., Fowler, J. P. & Hauer, E. C.) 633–641
Blowfly (*Calliphora erythrocephala*), inhibition after prolonged exposure to 5-hydroxytryptamine of the biosynthesis of phosphatidylinositol by and the entry of calcium ions into salivary gland from (Berridge, M. J. & Fain, J. N.) 59–69
Blowfly (*Calliphora erythrocephala*), relationship between the stimulation by 5-hydroxytryptamine of the hydrolysis of phosphatidylinositol, the secretion of fluid and the transport of calcium ions by salivary gland from (Fain, J. N. & Berridge, M. J.) 45–58
Bone, cartilaginous, chick-embryo, turnover of the tetrameric form of prolyl hydroxylase and of the corresponding monomer-size protein in, and lung *in vivo* (Majamaa, K., Kuutti-Savolainen, E.-R., Tuderman, L. & Kivirikko, K. I.) 313–322
Bongkrekic acid, modulation by, and other agents of the efflux of calcium ions from rat heart mitochondria (Harris, E. J.) 673–680
Brain, ox, isolation of lysosomes from, by a separation method involving alteration of the sedimentation properties of mitochondria and synaptosomes (Lisman, J. J. W., de Haan, J. & Overdijk, B.) 79–87
Brain, rat, activities of choline kinase and ethanolamine kinase in the cytosol of synaptosomes from (Spanner, S. & Ansell, G. B.) 753–760
Brain, rat, effects of barbiturates on the metabolism of phosphatidate and phosphatidylinositol in synaptosomes from (Miller, J. C. & Leung, I.) 9–13
Brain, rat, enhancement by the chronic administration of ethanol of the metabolism of tryptophan in, and the possible involvement of a decreased activity of tryptophan pyrrolase in the liver (Badawy, A. A.-B., Punjani, N. F. & Evans, M.) 575–580
Brain, rat, relationship between isoelectric points and rates of degradation of proteins *in vivo* in, and other tissues (Dice, J. F., Hess, E. J. & Goldberg, A. L.) 305–312
Brain, rat, stimulation by fatty acids of the hydrolysis of membrane-bound phosphatidylinositol by phosphatidylinositol phosphodiesterase from (Irvine, R. F., Letcher, A. J. & Dawson, R. M. C.) 497–500
Brine shrimp (*Artemia salina*), lack of inhibition by ricin and modeccin of the elongation factor 1-dependent binding of aminoacyl-transfer ribonucleic acid to ribosomes from (Sperti, S. & Montanaro, L.) 233–236
Brush border, small-intestinal, rat, changes in the properties and activities of various enzymes of, along the villus–crypt axis during postnatal development (Simon, P. M., Kedinger, M., Raul, F., Grenier, J. F. & Haffen, K.) 407–413
Brush-border membrane vesicles, kidney, rat, newborn, transport of proline by (Goldmann, D. R., Roth, K. S., Langfitt, T. W., Jr. & Segal, S.) 253–256
Brush-border membrane vesicles, small-intestinal, hamster, coupling of sodium ions to the uptake of taurocholate by (Beesley, R. C. & Faust, R. G.) 299–303

Calcium ions, dependence on energy of the accumulation of, during sporulation of *Bacillus megaterium* KM (Hogarth, C. & Ellar, D. J.) 627–632
Calcium ions, inhibition after prolonged exposure to 5-hydroxytryptamine of the biosynthesis of phosphatidylinositol by and the entry of, into blowfly salivary gland (Berridge, M. J. & Fain, J. N.) 59–69
Calcium ions, modulation by various agents of the efflux of, from rat heart mitochondria (Harris, E. J.) 673–680
Calcium ions, polarization of the fluorescence of chlortetracycline in isolated mouse islets of Langerhans and its response to glucose and (Täljedal, I.-B.) 187–193
Calcium ions, relationship between the stimulation by 5-hydroxytryptamine of the hydrolysis of phosphatidylinositol, the secretion of fluid and the transport of, by blowfly salivary gland (Fain, J. N. & Berridge, M. J.) 45–58
Calcium ions, transport of, across isolated rat kidney-cortex plasma membranes (Gmaj, P., Murer, H. & Kinne, R.) 549–557
Calliphora erythrocephala, *see* Blowfly
Candida albicans, induction of enzymes involved in the catabolism of *N*-acetylglucosamine in spheroplasts of (Singh, B. & Datta, A.) 427–431
Carbohydrates, evidence for carrier-mediated facilitated diffusion of, into rat liver lysosomes (Docherty, K., Brenchley, G. V. & Hales, C. N.) 361–366
Carbon tetrachloride, effects of, on the secretion of proteins and lipoproteins by isolated rat hepatocytes (Gravela, E., Albano, E., Dianzani, M. U., Poli, G. & Slater, T. F.) 509–512
Cations, effects of, on the binding of prolactin by preparations of rat liver plasma membrane (Silverstein, A. M. & Richards, J. F.) 743–751
Cations, effects of surface potential on the interaction of, with the uptake of inorganic phosphate by *Saccharomyces cerevisiae* (Roomans, G. M. & Borst-Pauwels, G. W. F. H.) 521–527
Cell lines, endocrine, pancreatic, rat, establishment of, by infection with simian virus 40 (Niesor, E. J., Wollheim, C. B., Mintz, D. H., Blondel, B., Renold, A. E. & Weil, R.) 559–568
Cells, HeLa, pools of amino acids and kinetics of their incorporation into protein in (Robertson, J. H. & Wheatley, D. N.) 699–709
Cells, hepatoma, cultured, inhibition of the discharge of endocytosed proteins from phagosomes into lysosomes in, exposed to dimerized ribonuclease A (Bartholeyns, J., Quintart, J. & Baudhuin, P.) 433–442
Cells, kidney, baby-hamster (BHK-21/C13), characterization of the system for the biosynthesis of deoxyribonucleic acid in nuclei isolated from (Burke, J. F. & Pearson, C. K.) 613–620

Cells, kidney, baby-hamster (BHK-21/C13), comparison of the effects of drugs on the biosynthesis of deoxyribonucleic acid in nuclei isolated from, and by partially purified deoxyribonucleic acid polymerases (Burke, J. F., Duff, P. M. & Pearson, C. K.) 621–626
Cells, kidney, baby-hamster (BHK-21/C13), replacement by magnesium ions of some of the functions of polyamines in (Melvin, M. A. L. & Keir, H. M.) 391–395
Chick embryo, activities of prolyl 3-hydroxylase and prolyl 4-hydroxylase in various tissues of (Tryggvason, K., Majamaa, K. & Kivirikko, K. I.) 127–131
Chick embryo, involvement of cytoskeletal structures in the mediation by nerve growth factor of the induction of the activity of ornithine decarboxylase in cultured spinal-cord ganglia from (Lakshmanan, J.) 245–248
Chick embryo, turnover of the tetrameric form of prolyl hydroxylase and of the corresponding monomer-size protein in cartilaginous bone and lung of, *in vivo* (Majamaa, K., Kuutti-Savolainen, E.-R., Tuderman, L. & Kivirikko, K. I.) 313–322
Chicken, isolation and metabolic characteristics of small-intestine enterocytes from, and rat (Watford, M., Lund, P. & Krebs, H. A.) 589–596
Chloroform, purification and properties of rat liver mitochondrial membrane adenosine triphosphatase released by treatment of submitochondrial particles with (Tyler, D. D. & Webb, P. R.) 289–297
Chlortetracycline, polarization of the fluorescence of, in isolated mouse islets of Langerhans and its response to calcium ions and glucose (Täljedal, I.-B.) 187–193
Cholic acid, distribution of conjugates of, in rat liver nuclei and cytosol after the administration of glycocholic acid (Strange, R. C., Beckett, G. J. & Percy-Robb, I. W.) 71–78
Choline kinase, activities of ethanolamine kinase and, in rat forebrain synaptosome cytosol (Spanner, S. & Ansell, G. B.) 753–760
Citric acid cycle, *see* Tricarboxylic acid cycle
Citrobacter freundii, participation of quinone and cytochrome *b* in the respiratory chain of, involved in the reduction of tetrathionate (Novotný, Č. & Kaprálek, F.) 237–240
Clearing-factor lipase, *see* Lipoprotein lipase
Clofibrate [ethyl α-(*p*-chlorophenoxy)isobutyrate], differential effects of, on alterations in the concentrations of plasma proteins in rat blood induced by inflammation (Powanda, M. C., Abeles, F. B., Bostian, K. A., Fowler, J. P. & Hauer, E. C.) 633–641
Cobalt chloride, characterization of the electron-transport pathway of the rat liver microsomal nicotinamide–adenine dinucleotide-dependent haem oxygenase system induced by the administration of (Hino, Y. & Minakami, S.) 323–329
Cobalt chloride, formation of cobalt protoporphyrin during the inhibition by the administration of, of the biosynthesis of haem in rat liver (Sinclair, P., Gibbs, A. H., Sinclair, J. F. & De Matteis, F.) 529–538
Cobalt chloride, topological arrangement in rat liver microsomal membranes of the haem oxygenase system induced by the administration of (Hino, Y., Asagami, H. & Minakami, S.) 331–337
Cobalt protoporphyrin, formation of, during the inhibition by the administration of cobalt chloride of the biosynthesis of haem in rat liver (Sinclair, P., Gibbs, A. H., Sinclair, J. F. & De Matteis, F.) 529–538
Colchicine, effects of, on human platelets under conditions of short-term incubation (Ribbi-Jaffe, A. & Apitz-Castro, R.) 449–454
Collagen, activities of prolyl 3-hydroxylase and prolyl 4-hydroxylase in various rat and chick-embryo tissues and their role in the biosynthesis of different types of (Tryggvason, K., Majamaa, K. & Kivirikko, K. I.) 127–131
Collagen, effect of the partial pressure of oxygen on the biosynthesis of protein and the hydroxylation of, by mature mouse tooth periodontal tissues in organ culture (Yen, E. H. K., Sodek, J. & Melcher, A. H.) 605–612
Collagen glucosyltransferases, platelet and plasma, mammalian, comparison of the properties of, from various species (Menashi, S. & Grant, M. E.) 777–784
Collagen, role of adenosine 3′:5′-cyclic monophosphate in the effects of ionophore A23187, prostaglandin E_1 and, on the phosphorylation of specific proteins in human platelets (Haslam, R. J., Lynham, J. A. & Fox, J. E. B.) 397–406
Corticosterone, effect of administration of, on the rate of degradation of rat skeletal-muscle proteins *in vivo* as measured by the urinary excretion of N^{τ}-methylhistidine (Tomas, F. M., Munro, H. N. & Young, V. R.) 139–146
Cunninghamella elegans, metabolism of biphenyl by, and other fungi (Dodge, R. H., Cerniglia, C. E. & Gibson, D. T.) 223–230
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cycloheximide, stimulation by treatment with, of the transport of ribonucleoprotein complexes from nuclei to cytosol in rat liver and its relevance to the regulation of the biosynthesis of protein *in vivo* (Ch'ih, J. J., Duhl, D. M., Faulkner, L. S. & Devlin, T. M.) 643–649
Cycloheximide, use of, as a probe for the biosynthesis of fibrinogen in rat liver (Procyk, R., Devlin, T. M. & Ch'ih, J. J.) 501–504
Cytochrome *b*, participation of quinone and, in the *Citrobacter freundii* respiratory chain involved in the reduction of tetrathionate (Novotný, Č. & Kaprálek, F.) 237–240
Cytochrome *c*, turnover of, in different rat skeletal-muscle fibre types (Terjung, R. L.) 569–574
Cytochromes, characterization of, involved in two pathways for the electon-transport chain in *Hydrogenomonas* H16 (Beatrice, M. C. & Chappell, J. B.) 15–22
Cytosol, liver, rat, distribution and characterization of folates in, and mitochondria (Cook, R. J. & Blair, J. A.) 651–659
Cytosol, liver, rat, distribution of conjugates of cholic acid in, and nuclei after the administration of glycocholic acid (Strange, R. C., Beckett, G. J. & Percy-Robb, I. W.) 71–78
Cytosol, liver, rat, stimulation by treatment with cycloheximide of the transport of ribonucleoprotein complexes from nuclei to, and its relevance to the regulation of the biosynthesis of protein *in vivo* (Ch'ih, J. J., Duhl, D. M., Faulkner, L. S. & Devlin, T. M.) 643–649

Cytosol, mammary-gland, calf, use of sodium bromide and heparin–Sepharose in the purification of oestrogen-receptor protein from (Rotondi, A. & Auricchio, F.) 581–587
Cytosol, synaptsome, forebrain, rat, activities of choline kinase and ethanolamine kinase in (Spanner, S. & Ansell, G. B.) 753–760

S-(*N*-Dansylaminoethyl)-6-mercaptoguanosine, use of, as a fluorescent probe for the system for the transport of uridine across the human erythrocyte membrane (Shohami, E. & Koren, R.) 271–277
Deoxyribonucleic acid, characterization of the system for the biosynthesis of, in isolated baby-hamster kidney-cell (BHK-21/C13) nuclei (Burke, J. F. & Pearson, C. K.) 613–620
Deoxyribonucleic acid, comparison of the effects of drugs on the biosynthesis of, in isolated baby-hamster kidney-cell (BHK-21/C13) nuclei and by partially purified deoxyribonucleic acid polymerases (Burke, J. F., Duff, P. M. & Pearson, C. K.) 621–626
Deoxyribonucleic acid polymerases, kidney-cell, baby-hamster (BHK-21/C13), partially purified, comparison of the effects of drugs on the biosynthesis of deoxyribonucleic acid in isolated baby-hamster kidney-cell (BHK-21/C13) nuclei and by (Burke, J. F., Duff, P. M. & Pearson, C. K.) 621–626
Deoxyribonucleic acid, suppression by DL-α-difluoromethylornithine and methylglyoxal bis(guanylhydrazone) of the formation of polyamines and of, and other macromolecules in phytohaemagglutinin-activated human lymphocytes (Hölttä, E., Jänne, J. & Hovi, T.) 109–117
Dermatan sulphate, structure and metabolism of, and other glycosaminoglycans in cultured foetal human lung and skin fibroblasts (Sjöberg, I., Carlstedt, I., Cöster, L., Malmström, A. & Fransson, L.-Å.) 257–270
Development, perinatal, demonstration of two functionally heterogeneous groups within the activities of rat liver uridine diphosphate glucuronosyltransferases towards a series of 4-alkylphenols during (Wishart, G. J. & Campbell, M. T.) 443–447
Development, postnatal, changes in the activities of prolyl 3-hydroxylase and prolyl 4-hydroxylase in various rat tissues during (Tryggvason, K., Majamaa, K. & Kivirikko, K. I.) 127–131
Development, postnatal, changes in the properties and activities of various rat small-intestinal brush-border enzymes along the villus–crypt axis during (Simon, P. M., Kedinger, M., Raul, F., Grenier, J. F. & Haffen, K.) 407–413
Development, postnatal, effects of litter size on the concentration of insulin in plasma and on the activity of lipoprotein lipase and the number and size of fat-cells in the rat during (Cryer, A. & Jones, H. M.) 711–724
DL-α-Difluoromethylornithine, suppression by methylglyoxal bis(guanylhydrazone) and, of the formation of polyamines and macromolecules in phytohaemagglutinin-activated human lymphocytes (Hölttä, E., Jänne, J. & Hovi, T.) 109–117
2,4′- and 4,4′-Dihydroxybiphenyl, identification of, as intermediates in the metabolism of biphenyl by *Cunninghamella elegans* and other fungi (Dodge, R. H., Cerniglia, C. E. & Gibson, D. T.) 223–230
Disaccharidases, changes in the properties and activities of, and other rat small-intestinal brush-border enzymes along the villus–crypt axis during postnatal development (Simon, P. M., Kedinger, M., Raul, F., Grenier, J. F. & Haffen, K.) 407–413

Electrical potential, transmembrane, transmembrane pH gradient and, in *Thiobacillus ferro-oxidans* (Cox, J. C., Nicholls, D. G. & Ingledew, W. J.) 195–200
Electron-transport chain, characterization of two pathways for, of *Hydrogenomonas* H16 (Beatrice, M. C. & Chappell, J. B.) 15–22
Electron-transport pathway, characterization of, of the rat liver microsomal nicotinamide–adenine dinucleotide-dependent haem oxygenase system induced by the administration of cobalt chloride (Hino, Y. & Minakami, S.) 323–329
Energy, coupling of, to the transport of inorganic phosphate by *Escherichia coli* K12 (Rosenberg, H., Gerdes, R. G. & Harold, F. M.) 133–137
Energy, dependence on, of the accumulation of calcium ions during sporulation of *Bacillus megaterium* KM (Hogarth, C. & Ellar, D. J.) 627–632
Energy, effects of the chronic administration of ethanol on the metabolism of sources of, and on the activity of phospholipase A_2 in rat liver (Spach, P. I., Parce, J. W. & Cunningham, C. C.) 23–33
Enterocytes, small-intestine, rat and chicken, isolation and metabolic characteristics of (Watford, M., Lund, P. & Krebs, H. A.) 589–596
Erythrocytes, human and sheep, composition of biles from various mammalian species and their ability to damage membranes of (Coleman, R., Iqbal, S., Godfrey, P. P. & Billington, D.) 201–208
Erythrocytes, human, use of *S*-(*N*-dansylaminoethyl)-6-mercaptoguanosine as a fluorescent probe for the system for the transport of uridine across the membrane of (Shohami, E. & Koren, R.) 271–277
Escherichia coli, de-energized, artificially induced active transport of amino acid driven by the efflux of a sugar via a heterologous transport system in (Bentaboulet, M., Robin, A. & Kepes, A.) 103–107
Escherichia coli K12, coupling of energy to the transport of inorganic phosphate by (Rosenberg, H., Gerdes, R. G. & Harold, F. M.) 133–137
Escherichia coli K12, transport of glucose by, growing in glucose-limited continuous culture (Hunter, I. S. & Kornberg, H. L.) 97–101
Estradiol, *see* Oestradiol
Estrogens, *see* Oestrogens
Ethanol, effects of the chronic administration of, on the metabolism of sources of energy and on the activity of phospholipase A_2 in rat liver (Spach, P. I., Parce, J. W. & Cunningham, C. C.) 23–33
Ethanol, enhancement by the chronic administration of, of the metabolism of tryptophan in rat brain and the possible involvement of a decreased activity of tryptophan pyrrolase in the liver (Badawy, A. A.-B., Punjani, N. F. & Evans, M.) 575–580
Ethanolamine kinase, activities of choline kinase and, in rat forebrain synaptosome cytosol (Spanner, S. & Ansell, G. B.) 753–760

Ethyl α-(*p*-chlorophenoxy)isobutyrate (clofibrate), differential effects of, on alterations in the concentrations of plasma proteins in rat blood induced by inflammation (Powanda, M. C., Abeles, F. B., Bostian, K. A., Fowler, J. P. & Hauer, E. C.) 633–641
Extrahepatic tissues, rat, metabolic conversion of very-low-density lipoproteins into low-density lipoproteins by (Suri, B. S., Targ, M. E. & Robinson, D. S). 455–466

Fat-cells, effects of litter size on the concentration of insulin in plasma and on the activity of lipoprotein lipase and the number and size of, in four depots of adipose tissue in the rat during the first four weeks after birth (Cryer, A. & Jones, H. M.) 711–724
Fat-cells, rat, involvement of adenosine and thyroid hormones in the regulation of lipolysis in (Ohisalo, J. J. & Stouffer, J. E.) 249–251
Fat-cells, rat, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by insulin, adenosine, nicotinic acid and hydrogen peroxide of the transport of glucose into (Taylor, W. M. & Halperin, M. L.) 381–389
Fatty acids, effects of starvation on hepatic metabolism of, and other intermediates, on ketogenesis and on ketonaemia in the non-lactating cow (Baird, G. D., Heitzman, R. J., Reid, I. M., Symonds, H. W. & Lomax, M. A.) 35–44
Fatty acids, stimulation by, of the hydrolysis of membrane-bound phosphatidylinositol by rat brain phosphatidylinositol phosphodiesterase (Irvine, R. F., Letcher, A. J. & Dawson, R. M. C.) 497–500
Fibrinogen, use of cycloheximide as a probe for the biosynthesis of, in rat liver (Procyk, R., Devlin, T. M. & Ch'ih, J. J.) 501–504
Fibroblasts, lung and skin, human, foetal, cultured, structure and metabolism of glycosaminoglycans in (Sjöberg, I., Carlstedt, I., Cöster, L., Malmström, A. & Fransson, L.-Å.) 257–270
Flight muscle, *see* Muscle, flight
Folates, distribution and characterization of, in rat liver mitochondria and cytosol (Cook, R. J. & Blair, J. A.) 651–659
Folates, identification of *p*-acetamidobenzoate as a metabolite of, in rat urine (Connor, M. J., Pheasant, A. E. & Blair, J. A.) 795–797
Forebrain, rat, activities of choline kinase and ethanolamine kinase in the cytosol of synaptosomes from (Spanner, S. & Ansell, G. B.) 753–760
β-Fructofuranosidase, acid, location of sucrose and, in beet storage-root vacuoles (Leigh, R. A., ap Rees, T., Fuller, W. A. & Banfield, J.) 539–547
Fructose, evidence that the stimulation by, of the activity of glycogen phosphorylase kinase in isolated rat hepatocytes is related to consumption of adenosine triphosphate (van de Werve, G. & Hers, H.-G.) 119–126

Galactosaminoglycans, structure and metabolism of, and other glycosaminoglycans in cultured foetal human lung and skin fibroblasts (Sjöberg, I., Carlstedt, I., Cöster, L., Malmström, A. & Fransson, L.-Å.) 257–270
Galactosyltransferase, detection, purification and characterization of a serum and tumour-effusion glycopeptide from human tumour-bearing patients that acts as an acceptor for (Podolsky, D. K. & Weiser, M. M.) 279–287
Ganglia, spinal-cord, rat and chick-embryo, cultured, involvement of cytoskeletal structures in the mediation by nerve growth factor of the induction of the activity of ornithine decarboxylase in (Lakshmanan, J.) 245–248
Gastric mucosal cells, rat, isolated, computed resolution and relative specific radioactivities of radiolabelled proteins biosynthesized by (Trotman, C. N. A. & Greenwell, J. R.) 159–164
Glucagon, modulation by lysophosphatidylcholines of the activity of adenylate cyclase of rat liver plasma membrane stimulated by (Houslay, M. D. & Palmer, R. W.) 217–221
Glucoamylase, changes in the properties and activities of, and other rat small-intestinal brush-border enzymes along the villus–crypt axis during postnatal development (Simon, P. M., Kedinger, M., Raul, F., Grenier, J. F. & Haffen, K.) 407–413
Glucocorticoids, distinction between the binding sites for progestins and, in lactating mouse mammary gland (Shyamala, G. & McBlain, W. A.) 345–352
Glucocorticoids, effect of administration of, on the rate of degradation of rat skeletal-muscle proteins *in vivo* as measured by the urinary excretion of N^{τ}-methylhistidine (Tomas, F. M., Munro, H. N. & Young, V. R.) 139–146
Glucose, effects of starvation on hepatic metabolism of, and other intermediates, on ketogenesis and on ketonaemia in the non-lactating cow (Baird, G. D., Heitzman, R. J., Reid, I. M., Symonds, H. W. & Lomax, M. A.) 35–44
Glucose phosphotransferase system, role of, in the transport of glucose by *Escherichia coli* K12 growing in glucose-limited continuous culture (Hunter, I. S. & Kornberg, H. L.) 97–101
Glucose, polarization of the fluorescence of chlortetracycline in isolated mouse islets of Langerhans and its response to calcium ions and (Täljedal, I.-B.) 187–193
Glucose, resistance to the effect of insulin on the metabolism of, in perfused obese-Zucker-rat skeletal muscle (Kemmer, F. W., Berger, M., Herberg, L., Gries, F. A., Wirdeier, A. & Becker, K.) 733–741
Glucose, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by insulin, adenosine, nicotinic acid and hydrogen peroxide of the transport of, into rat adipocytes (Taylor, W. M. & Halperin, M. L.) 381–389
Glucose, transport of, by *Escherichia coli* K12 growing in glucose-limited continuous culture (Hunter, I. S. & Kornberg, H. L.) 97–101
Glutamine, metabolism of, and other substrates in isolated rat and chicken small-intestine enterocytes (Watford, M., Lund, P. & Krebs, H. A.) 589–596
Glycine, pools of, and other amino acids and kinetics of their incorporation into protein in HeLa cells (Robertson, J. H. & Wheatley, D. N.) 699–709
Glycocholic acid, distribution of conjugates of cholic acid in rat liver nuclei and cytosol after the administration of (Strange, R. C., Beckett, G. J. & Percy-Robb, I. W.) 71–78

Glycogen phosphorylase, effects of vasopressin and related peptides on the activity of, and the metabolism of phosphatidylinositol in isolated rat hepatocytes (Kirk, C. J., Rodrigues, L. M. & Hems, D. A.) 493–496
Glycogen phosphorylase kinase, evidence that the stimulation by fructose of the activity of, in isolated rat hepatocytes is related to consumption of adenosine triphosphate (van de Werve, G. & Hers, H.-G.) 119–126
Glycolysis, aerobic, role of, in isolated rat and chicken small-intestine enterocytes (Watford, M., Lund, P. & Krebs, H. A.) 589–596
Glycolysis, changes in the concentrations of adenine nucleotides and of intermediates of, and the tricarboxylic acid cycle in locust flight muscle upon flight and their relationship to the control of the cycle (Rowan, A. M. & Newsholme, E. A.) 209–216
Glycopeptide, serum and tumour-effusion, human, detection, purification and characterization of, from tumour-bearing patients that acts as an acceptor for galactosyltransferase (Podolsky, D. K. & Weiser, M. M.) 279–287
Glycoproteins, surface, *Trypanosoma brucei*, variant, selective tryptic cleavage of (Johnson, J. G. & Cross, G. A. M.) 689–697
Glycosaminoglycans, structure and metabolism of, in cultured foetal human lung and skin fibroblasts (Sjöberg, I., Carlstedt, I., Coster, L., Malmström, A. & Fransson, L.-Å.) 257–270

Haem, formation of cobalt protoporphyrin during the inhibition by the administration of cobalt chloride of the biosynthesis of, in rat liver (Sinclair, P., Gibbs, A. H., Sinclair, J. F. & De Matteis, F.) 529–538
Haem oxygenase system, nicotinamide–adenine dinucleotide-dependent, microsomal, liver, rat, characterization of the electron-transport pathway of, induced by the administration of cobalt chloride (Hino, Y. & Minakami, S.) 323–329
Haem oxygenase system, topological arrangement in rat liver microsomal membranes of, induced by the administration of cobalt chloride (Hino, Y., Asagami, H. & Minakami, S.) 331–337
Haematopoietic cells, distribution of activities of various enzymes and isoenzymes between hepatocytes and, of foetal guinea-pig liver (Faulkner, A. & Jones, C. T.) 89–95
Harderian gland, hamster, female, changes in the activity of, during the oestrous cycle, pregnancy and lactation (Payne, A. P., McGadey, J., Moore, M. R. & Thompson, G. G.) 597–604
Heart, ox, effects of lipid phase transitions on the interaction of mitochondrial nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase and ubiquinol–cytochrome *c* oxidoreductase from (Heron, C., Gore, M. G. & Ragan, C. I.) 415–426
Heart, ox, use of mixed anhydrides of nucleotides and mesitylenecarboxylic acid as specific inhibitors of mitochondrial adenosine triphosphatase from (Kozlov, I. A., Shalamberidze, M. V., Novikova, I. Y., Sokolova, N. I. & Shabarova, Z. A.) 339–343
Heart, rat, modulation by various agents of the efflux of calcium ions from mitochondria from (Harris, E. J.) 673–680
HeLa cells, pools of amino acids and kinetics of their incorporation into protein in (Robertson, J. H. & Wheatley, D. N.) 699–709
Hen, *see* Chicken
Heparan sulphate, structure and metabolism of, and other glycosaminoglycans in cultured foetal human lung and skin fibroblasts (Sjöberg, I., Carlstedt, I., Cöster, L., Malmström, A. & Fransson, L.-Å.) 257–270
Hepatectomy, partial, balance between anabolism and catabolism of [5-^{3}H]uridine and its relationship to the labelling of ribonucleic acids in mouse liver after (Yngner, T., Engelbrecht, C., Lewan, L. & Annerfeldt, J.-E.) 1–8
Hepatectomy, partial, phosphorylation of histones associated with nucleosomes released by micrococcal nuclease digestion of nuclei from rat liver from normal animals and after (Ord, M. G. & Stocken, L. A.) 173–185
Hepatocytes, distribution of activities of various enzymes and isoenzymes between haematopoietic cells and, of foetal guinea-pig liver (Faulkner, A. & Jones, C. T.) 89–95
Hepatocytes, rat, isolated, effects of carbon tetrachloride on the secretion of proteins and lipoproteins by (Gravela, E., Albano, E., Dianzani, M. U., Poli, G. & Slater, T. F.) 509–512
Hepatocytes, rat, isolated, effects of vasopressin and related peptides on the activity of glycogen phosphorylase and the metabolism of phosphatidylinositol in (Kirk, C. J., Rodrigues, L. M. & Hems, D. A.) 493–496
Hepatocytes, rat, isolated, evidence that the stimulation by fructose of the activity of glycogen phosphorylase kinase in, is related to consumption of adenosine triphosphate (van de Werve, G. & Hers, H.-G.) 119–126
Hepatoma cells, cultured, inhibition of the discharge of endocytosed protein from phagosomes into lysosomes in, exposed to dimerized ribonuclease A (Bartholeyns, J., Quintart, J. & Baudhuin, P.) 433–442
Histamine, evidence for a role of the turnover of phosphatidylinositol in the coupling of stimulation by immunoglobulin E-directed and other ligands and the secretion of, by rat peritoneal mast cells (Cockcroft, S. & Gomperts, B. D.) 681–687
Histones, phosphorylation of, associated with nucleosomes released by micrococcal nuclease digestion of nuclei from normal and regenerating rat liver (Ord, M. G. & Stocken, L. A.) 173–185
Hydrogen ions, role of, in the artificially induced active transport of amino acid driven by the efflux of a sugar via a heterologous transport system in de-energized *Escherichia coli* (Bentaboulet, M., Robin, A. & Kepes, A.) 103–107
Hydrogen peroxide, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by insulin, adenosine, nicotinic acid and, of the transport of glucose into (Taylor, W. M. & Halperin, M. L.) 381–389
Hydrogenomonas H16, characterization of two pathways for the electron-transport chain of (Beatrice, M. C. & Chappell, J. B.) 15–22
Hydrolases, subcellular fractionation with particular reference to heterogeneity of granules containing, of lung alveolar macrophages from normal and BCG-vaccinated rabbits (Lowrie, D. B., Andrew, P. W. & Peters, T. J.) 761–767

2-, 3- and 4-Hydroxybiphenyl, identification of, as intermediates in the metabolism of biphenyl by *Cunninghamella elegans* and other fungi (Dodge, R. H., Cerniglia, C. E. & Gibson, D. T.) 223–230
5-Hydroxytryptamine, inhibition after prolonged exposure to, of the biosynthesis of phosphatidylinositol by and the entry of calcium ions into blowfly salivary gland (Berridge, M. J. & Fain, J. N.) 59–69
5-Hydroxytryptamine, relationship between the stimulation by, of the hydrolysis of phosphatidylinositol, the secretion of fluid and the transport of calcium ions by blowfly salivary gland (Fain, J. N. & Berridge, M. J.) 45–58
Hypophysectomy, effects of, on the rates of biosynthesis and degradation of protein in rat liver (Conde, R. D.) 725–731

Immunoglobulin E, evidence for a role of the turnover of phosphatidylinositol in the coupling of stimulation by ligands directed towards, and the secretion of histamine by rat peritoneal mast cells (Cockcroft, S. & Gomperts, B. D.) 681–687
Inflammation, differential effects of clofibrate on alterations in the concentrations of plasma proteins in rat blood induced by (Powanda, M. C., Abeles, F. B., Bostian, K. A., Fowler, J. P. & Hauer, E. C.) 633–641
Inorganic phosphate, *see* Phosphate, inorganic
Insulin, effects of litter size on the concentration of, in plasma and on the activity of lipoprotein lipase and the number and size of fat-cells in four depots of adipose tissue in the rat during the first four weeks after birth (Cryer, A. & Jones, H. M.) 711–724
Insulin, resistance to the effect of, on the metabolism of glucose in perfused obese-Zucker-rat skeletal muscle (Kemmer, F. W., Berger, M., Herberg, L., Gries, F. A., Wirdeier, A. & Becker, K.) 733–741
Insulin, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by adenosine, nicotinic acid, hydrogen peroxide and, of the transport of glucose into rat adipocytes (Taylor, W. M. & Halperin, M. L.) 381–389
Insulin-storage granules, islet-of-Langerhans, rat, interaction *in vitro* between F-actin and (Howell, S. L. & Tyhurst, M.) 367–371
Intestine, small, hamster, coupling of sodium ions to the uptake of taurocholate by brush-border membrane vesicles from (Beesley, R. C. & Faust, R. G.) 299–303
Intestine, small, rat and chicken, isolation and metabolic characteristics of enterocytes from (Watford, M., Lund, P. & Krebs, H. A.) 589–596
Intestine, small, rat, changes in the properties and activities of various brush-border enzymes of, along the villus–crypt axis during postnatal development (Simon, P. M., Kedinger, M., Raul, F., Grenier, J. F. & Haffen, K.) 407–413
Intestine, small, rat, effects of starvation on the rate of biosynthesis of protein in, and liver (McNurlan, M. A., Tomkins, A. M. & Garlick, P. J.) 373–379
Invertase, *see* β-Fructofuranosidase
Ionophore A23187, role of adenosine 3′:5′-cyclic monophosphate in the effects of collagen, prostaglandin E_1 and, on the phosphorylation of specific proteins in human platelets (Haslam, R. J., Lynham, J. A. & Fox, J. E. B.) 397–406

Islets of Langerhans, pancreatic, mouse, isolated, polarization of the fluorescence of chlortetracycline in, and its response to calcium ions and glucose (Täljedal, I.-B.) 187–193
Islets of Langerhans, pancreatic, rat, interaction *in vitro* between F-actin and insulin-storage granules from (Howell, S. L. & Tyhurst, M.) 367–371
Isoelectric points, relationship between, and rates of degradation of proteins *in vivo* in various mammalian tissues (Dice, J. F., Hess, E. J. & Goldberg, A. L.) 305–312

Jejunum, rat, effects of starvation on the rate of biosynthesis of protein in, and liver (McNurlan, M. A., Tomkins, A. M. & Garlick, P. J.) 373–379

Ketogenesis, effects of starvation on hepatic intermediary metabolism on, and on ketonaemia in the non-lactating cow (Baird, G. D., Heitzman, R. J., Reid, I. M., Symonds, H. W. & Lomax, M. A.) 35–44
Ketonaemia, effects of starvation on hepatic intermediary metabolism, on ketogenesis and on, in the non-lactating cow (Baird, G. D., Heitzman, R. J., Reid, I. M., Symonds, H. W. & Lomax, M. A.) 35–44
Kidney cells (BHK-21/C13), baby-hamster, characterization of the system for the biosynthesis of deoxyribonucleic acid in nuclei isolated from (Burke, J. F. & Pearson, C. K.) 613–620
Kidney cells (BHK-21/C13), baby-hamster, comparison of the effects of drugs on the biosynthesis of deoxyribonucleic acid in nuclei isolated from, and by partially purified deoxyribonucleic acid polymerases (Burke, J. F., Duff, P. M. & Pearson, C. K.) 621–626
Kidney cells, (BHK-21/C13) baby-hamster, replacement by magnesium ions of some of the functions of polyamines in (Malvin, M. A. L. & Keir, H. M.) 391–395
Kidney cortex, rat, transport of calcium ions across plasma membranes isolated from (Gmaj, P., Murer, H. & Kinne, R.) 549–557
Kidney, rat and chick-embryo, activities of prolyl 3-hydroxylase and prolyl 4-hydroxylase in, and other tissues and changes in these activities during postnatal development in the rat (Tryggvason, K., Majamaa, K. & Kivirikko, K. I.) 127–131
Kidney, rat, newborn, transport of proline by brush-border membrane vesicles from (Goldmann, D. R., Roth, K. S., Langfitt, T. W., Jr. & Segal, S.) 253–256
Kidney, rat, relationship between isoelectric points and rates of degradation of proteins *in vivo* in, and other tissues (Dice, J. F., Hess, E. J. & Goldberg, A. L.) 305–312

Lactation, changes in the activity of female hamster Harderian gland during the oestrous cycle, pregnancy and (Payne, A. P., McGadey, J., Moore, M. R. & Thompson, G. G.) 597–604
Lactation, characterization of calcium ion-stimulated ribonuclease as a marker enzyme for the differentiation of rat mammary gland during (Liu, D. K., Kulick, D. & Williams, G. H.) 241–244
Lactation, distinction between the binding sites for progestins and glucocorticoids in mouse mammary gland during (Shyamala, G. & McBlain, W. A.) 345–352

Leucine, degradation of, by cell-free preparations from rat skeletal muscle (Odessey, R. & Goldberg, A. L.) 475–489

Leucine, effects of starvation on the rate of incorporation of, into protein in rat liver and small intestine (McNurlan, M. A., Tomkins, A. M. & Garlick, P. J.) 373–379

Leucine, pools of, and other amino acids and kinetics of their incorporation into protein in HeLa cells (Robertson, J. H. & Wheatley, D. N.) 699–709

Lipolysis, involvement of adenosine and thyroid hormones in the regulation of, in rat adipocytes (Ohisalo, J. J. & Stouffer, J. E.) 249–251

Lipoprotein lipase, effects of litter size on the concentration of insulin in plasma and on the activity of, and the number and size of fat-cells in four depots of adipose tissue in the rat during the first four weeks after birth (Cryer, A. & Jones, H. M.) 711–724

Lipoproteins, effects of carbon tetrachloride on the secretion of proteins and, by isolated rat hepatocytes (Gravela, E., Albano, E., Dianzani, M. U., Poli, G. & Slater, T. F.) 509–512

Lipoproteins, low-density, metabolic conversion of very-low-density lipoproteins into, by extrahepatic tissue of the rat (Suri, B. S., Targ, M. E. & Robinson, S. D.) 455–466

Lipoproteins, very-low-density, metabolic conversion of, into low-density lipoproteins by extrahepatic tissues of the rat (Suri, B. S., Targ, M. E. & Robinson, D. S.) 455–466

Liver cells, rat, isolated, effects of carbon tetrachloride on the secretion of protcins and lipoproteins by (Gravela, E., Albano, E., Dianzani, M. U., Poli, G. & Slater, T. F.) 509–512

Liver cells, rat, isolated, effects of vasopressin and related peptides on the activity of glycogen phosphorylase and the metabolism of phosphatidylinositol in (Kirk, C. J., Rodrigues, L. M. & Hems, D. A.) 493–496

Liver, cells, rat, isolated, evidence that the stimulation by fructose of the activity of glycogen phosphorylase kinase in, is related to consumption of adenosine triphosphate (van de Werve, G. & Hers, H.-G.) 119–126

Liver, cow, non-lactating, effects of starvation on intermediary metabolism in, on ketogenesis and on ketonaemia in (Baird, G. D., Heitzman, R. J., Reid, I. M., Symonds, H. W. & Lomax, M. A.) 35–44

Liver, guinea-pig, foetal, distribution of activities of various enzymes and isoenzymes between hepatocytes and haematopoietic cells in (Faulkner, A. & Jones, C. T.) 89–95

Liver, mouse, balance between anabolism and catabolism of [5-^{3}H]uridine and its relationship to the labelling of ribonucleic acids in, after partial hepatectomy (Yngner, T., Engelbrecht, C., Lewan, L. & Annerfeldt, J.-E.) 1–8

Liver, mouse, localization of oxidized nicotinamide–adenine dinucleotide glycohydrolase in the nuclear envelope of (Tamulevicius, P., Streffer, C., Roscic, O. & Hubert, E.) 467–473

Liver, rat and chick-embryo, activities of prolyl 3-hydroxylase and prolyl 4-hydroxylase in, and other tissues and changes in these activities during postnatal development in the rat (Tryggvason, K., Majamaa, K. & Kivirikko, K. I.) 127–131

Liver, rat and mouse, relationship between isoelectric points and rates of degradation of proteins *in vivo* in, and other tissues (Dice, J. F., Hess, E. J. & Goldberg, A. L.) 305–312

Liver, rat, characterization of the binding of prolactin by preparations of plasma membrane from (Silverstein, A. M. & Richards, J. F.) 743–751

Liver, rat, characterization of the electron-transport pathway of the microsomal nicotinamide–adenine dinucleotide-dependent haem oxygenase system of, induced by the administration of cobalt chloride (Hino, Y. & Minakami, S.) 323–329

Liver, rat, demonstration of two functionally heterogeneous groups within the activities of uridine diphosphate glucuronosyltransferases of, towards a series of 4-alkylphenols during perinatal development (Wishart, G. J. & Campbell, M. T.) 443–447

Liver, rat, distribution and characterization of folates in mitochondria and cytosol of (Cook, R. J. & Blair, J. A.) 651–659

Liver, rat, distribution of conjugates of cholic acid in nuclei and cytosol of, after the administration of glycocholic acid (Strange, R. C., Beckett, G. J. & Percy-Robb, I. W.) 71–78

Liver, rat, effect of the administration of thyroxine *in vivo* on the transmembrane protonic electrochemical potential difference of mitochondria from (Shears, S. B. & Bronk, J. R.) 505–507

Liver, rat, effects of hypophysectomy on the rates of biosynthesis and degradation of protein in (Conde, R. D.) 725–731

Liver, rat, effects of starvation on the rate of biosynthesis of protein in, and small intestine (McNurlan, M. A., Tomkins, A. M. & Garlick, P. J.) 373–379

Liver, rat, effects of the chronic administration of ethanol on the metabolism of sources of energy and on the activity of phospholipase A_2 in (Spach, P. I., Parce, J. W. & Cunningham, C. C.) 23–33

Liver, rat, evidence for carrier-mediated facilitated diffusion of sugars into lysosomes from (Docherty, K., Brenchley, G. V. & Hales, C. N.) 361–366

Liver, rat, formation of cobalt protoporphyrin during the inhibition by the administration of cobalt chloride of the biosynthesis of haem in (Sinclair, P., Gibbs, A. H., Sinclair, J. F. & De Matteis, F.) 529–538

Liver, rat, lack of strict coupling of vitamin K_1 (2-methyl-3-phytyl-1,4-naphthoquinone)-dependent carboxylation and vitamin K_1 epoxidation in detergent-solubilized microsomal fraction from (Wallin, R.) 513–519

Liver, rat, modulation by lysophosphatidylcholines of the activity of glucagon-stimulated adenylate cyclase of plasma membrane from (Houslay, M. D. & Palmer, R. W.) 217–221

Liver, rat, normal and regenerating, phosphorylation of histones associated with nucleosomes released by micrococcal nuclease digestion of nuclei from (Ord, M. G. & Stocken, L. A.) 173–185

Liver, rat, possible involvement of a decreased activity of tryptophan pyrrolase in, in the enhancement by the chronic administration of ethanol of the metabolism of tryptophan in rat brain (Badawy, A. A.-B., Punjani, N. F. & Evans, M.) 575–580

Liver, rat, purification and properties of mitochondrial membrane adenosine triphosphatase released by treatment with chloroform of submitochondrial particles from (Tyler, D. D. & Webb, P. R.) 289–297

Liver, rat, stimulation by treatment with cycloheximide of the transport of ribonucleoprotein complexes from nuclei to cytosol in, and its relevance to the regulation of the biosynthesis of protein *in vivo* (Ch'ih, J. J., Duhl, D. M., Faulkner, L. S. & Devlin, T. M.) 643–649

Liver, rat, topological arrangement in microsomal membranes of, of the haem oxygenase system induced by the administration of cobalt chloride (Hino, Y., Asagami, H. & Minakami, S.) 331–337

Liver, rat, use of cycloheximide as a probe for the biosynthesis of fibrinogen in (Procyk, R., Devlin, T. M. & Ch'ih, J. J.) 501–504

Locust (*Schistocerca gregaria*), changes in the concentrations of adenine nucleotides and of intermediates of glycolysis and the tricarboxylic acid cycle in flight muscle of, upon flight and their relationship to the control of the cycle (Rowan, A. N. & Newsholme, E. A.) 209–216

Lung, chick-embryo, turnover of the tetrameric form of prolyl hydroxylase and of the corresponding monomer-size protein in, and cartilaginous bone *in vivo* (Majamaa, K., Kuutti-Savolainen, E.-R., Tuderman, L. & Kivirikko, K. I.) 313–322

Lung fibroblasts, human, foetal, cultured, structure and metabolism of glycosaminoglycans in (Sjöberg, I., Carlstedt, I., Cöster, L., Malmström, A. & Fransson, L.-Å.) 257–270

Lung, rabbit, subcellular fractionation with particular reference to heterogeneity of hydrolase-containing granules of alveolar macrophages from, of normal and BCG-vaccinated animals (Lowrie, D. B., Andrew, P. W. & Peters, T. J.) 761–767

Lymphocytes, human, phytohaemagglutinin-activated, suppression by DL-α-difluoromethylornithine and methylglyoxal bis(guanylhydrazone) of the formation of polyamines and macromolecules in (Hölttä, E., Jänne, J. & Hovi, T.) 109–117

Lysophosphatidylcholines, modulation by, of the activity of glucagon-stimulated adenylate cyclase of rat liver plasma membrane (Houslay, M. D. & Palmer, R. W.) 217–221

Lysosomes, brain, ox, isolation of, by a separation method involving alteration of the sedimentation properties of mitochondria and synaptosomes (Lisman, J. J. W., de Haan, J. & Overdijk, B.) 79–87

Lysosomes, inhibition of the discharge of endocytosed proteins from phagosomes into, in cultured hepatoma cells exposed to dimerized ribonuclease A (Bartholeyns, J., Quintart, J. & Baudhuin, P.) 433–442

Lysosomes, liver, rat, evidence for carrier-mediated facilitated diffusion of sugars into (Docherty, K., Brenchley, G. V. & Hales, C. N.) 361–366

Lysosomes, subcellular fractionation with particular reference to heterogeneity of, of lung alveolar macrophages from normal and BCG-vaccinated rabbits (Lowrie, D. B., Andrew, P. W. & Peters, T. J.) 761–767

α_2-Macrofoetoprotein, differential effects of clofibrate on alterations in the concentrations of, and other plasma proteins in rat blood induced by inflammation (Powanda, M. C., Abeles, F. B., Bostian, K. A., Fowler, J. P. & Hauer, E. C.) 633–641

Macromolecules, rate of capture by pinocytosis of, by rat yolk-sac incubated in serum-free culture medium (Ibbotson, G. E. & Williams, K. E.) 785–792

Macrophages, alveolar, lung, rabbit, subcellular fractionation with particular reference to heterogeneity of hydrolase-containing granules of, from normal and BCG-vaccinated animals (Lowrie, D. B., Andrew, P. W. & Peters, T. J.) 761–767

Magnesium ions, replacement by, of some of the functions of polyamines in BHK-21/C13 baby-hamster kidney cells (Malvin, M. A. L. & Keir, H. M.) 391–395

Maize (*Zea mays*) root-cap cells, biosynthesis of polyprenyl phosphate sugars during the production of slime polysaccharides by membranes of (Green, J. R. & Northcote, D. H.) 661–671

Malate dehydrogenase, mitochondrial, ox and pig, interaction of phospholipid vesicles with monomer of (Webster, K. A., Patel, H. V., Freeman, K. B. & Papahadjopoulos, D.) 147–158

Mammary gland, calf, use of sodium bromide and heparin–Sepharose in the purification of cytosol oestrogen-receptor protein from (Rotondi, A. & Auricchio, F.) 581–587

Mammary gland, mouse, lactating, distinction between the binding sites for progestins and glucocorticoids in (Shyamala, G. & McBlain, W. A.) 345–352

Mammary gland, rat, lactating, characterization of calcium ion-stimulated ribonuclease as a marker enzyme for the differentiation of (Liu, D. K., Kulick, D. & Williams, G. H.) 241–244

Mast cells, peritoneal, rat, evidence for a role of the turnover of phosphatidylinositol in the coupling of stimulation by immunoglobulin E-directed and other ligands and the secretion of histamine by (Cockcroft, S. & Gomperts, B. D.) 681–687

Membrane, erythrocyte, human, use of *S*-(*N*-dansylaminoethyl)-6-mercaptoguanosine as a fluorescent probe for the system for the transport of uridine across (Shohami, E. & Koren, R.) 271–277

Membrane, mitochondrial, liver, rat, purification and properties of adenosine triphosphatase of, released by treatment with chloroform of submitochondrial particles (Tyler, D. D. & Webb, P. R.) 289–297

Membrane, plasma, liver, rat, characterization of the binding of prolactin by preparations of (Silverstein, A. M. & Richards, J. F.) 743–751

Membrane, plasma, liver, rat, modulation by lysophosphatidylcholines of the activity of glucagon-stimulated adenylate cyclase of (Houslay, M. D. & Palmer, R. W.) 217–221

Membrane, *Thiobacillus ferro-oxidans*, electrical potential and pH gradient across (Cox, J. C., Nicholls, D. G. & Ingledew, W. J.) 195–200

Membrane vesicles, brush-border, kidney, rat, newborn, transport of proline by (Goldmann, D. R., Roth, K. S., Langfitt, T. W., Jr. & Segal, S.) 253–256

Membrane vesicles, brush-border, small-intestinal, hamster, coupling of sodium ions to the uptake of taurocholate by (Beesley, R. C. & Faust, R. G.) 299–303

Membranes, cell, *Methanobacterium ruminantium*, isolated, biosynthesis of methane without the addition of adenosine triphosphate by (Sauer, F. D., Erfle, J. D. & Mahadevan, S.) 165–172

Membranes, mammalian, composition of biles from various mammalian species and their ability to damage (Coleman, R., Iqbal, S., Godfrey, P. P. & Billington, D.) 201–208

Membranes, microsomal, liver, rat, topological arrangement in, of the haem oxygenase system induced by the administration of cobalt chloride (Hino, Y., Asagami, H. & Minakami, S.) 331–337

Membranes, plasma, kidney-cortex, rat, isolated, transport of calcium ions across (Gmaj, P., Murer, H. & Kinne, R.) 549–557

Membranes, *Pseudomonas* AM1, oxidative phosphorylation in preparations of, and its relevance to the metabolism of methanol by the organism (Netrusov, A. I. & Anthony, C.) 353–360

Membranes, root-cap-cell, maize, biosynthesis of polyprenyl phosphate sugars during the production of slime polysaccharides by (Green, J. R. & Northcote, D. H.) 661–671

6-Mercaptoguanosine, *S*-(*N*-dansylaminoethyl)-, use of, as a fluorescent probe for the system for the transport of uridine across the human erythrocyte membrane (Shohami, E. & Koren, R.) 271–277

Mesitylenecarboxylic acid, use of mixed anhydrides of nucleotides and, as specific inhibitors of ox heart mitochondrial adenosine triphosphatase (Kozlov, I. A., Shalamberidze, M. V., Novikova, I. Y., Sokolova, N. I. & Shabarova, Z. A.) 339–343

Methane, biosynthesis of, without the addition of adenosine triphosphate by cell membranes isolated from *Methanobacterium ruminantium* (Sauer, F. D., Erfle, J. D. & Mahadevan, S.) 165–172

Methanobacterium ruminantium, biosynthesis of methane without the addition of adenosine triphosphate by cell membranes isolated from (Sauer, F. D., Erfle, J. D. & Mahadevan, S.) 165–172

Methanol, oxidative phosphorylation in preparations of *Pseudomonas* AM1 membranes and its relevance to the metabolism of, by the organism (Netrusov, A. I. & Anthony, C.) 353–360

1,1′-[(Methylethanediylidene)dinitrilo]diguanidine, *see* Methylglyoxal bis(guanylhydrazone)

Methylglyoxal bis(guanylhydrazone){1,1′-[(methylethanediylidene)dinitrilo]diguanidine}, suppression by DL-α-difluoromethylornithine and, of the formation of polyamines and macromolecules in phytohaemagglutinin-activated human lymphocytes (Hölttä, E., Jänne, J. & Hovi, T.) 109–117

N^{τ}-Methylhistidine, effect of administration of glucocorticoids on the rate of degradation of rat skeletal-muscle proteins *in vivo* as measured by urinary excretion of (Tomas, F. M., Munro, H. N. & Young, V. R.) 139–146

2-Methyl-3-phytyl-1,4-naphthoquinone (vitamin K_1), lack of strict coupling of vitamin K_1-dependent carboxylation and the epoxidation of, in detergent-solubilized rat liver microsomal fraction (Wallin, R.) 513–519

Microsomal fraction, liver, rat, characterization of the electron-transport pathway of the nicotinamide-adenine dinucleotide-dependent haem oxygenase system of, induced by the administration of cobalt chloride (Hino, Y. & Minakami, S.) 323–329

Microsomal fraction, liver, rat, detergent-solubilized, lack of strict coupling of vitamin K_1 (2-methyl-3-phytyl-1,4-naphthoquinone)-dependent carboxylation and vitamin K_1 epoxidation in (Wallin, R.) 513–519

Microsomal fraction, liver, rat, topological arrangement in membranes of, of the haem oxygenase system induced by the administration of cobalt chloride (Hino, Y., Asagami, H. & Minakami, S.) 331–337

Mitochondria, heart, ox, effects of lipid phase transitions on the interaction of nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase and ubiquinol–cytochrome *c* oxidoreductase from (Heron, C., Gore, M. G. & Ragan, C. I.) 415–426

Mitochondria, heart, ox, use of mixed anhydrides of nucleotides and mesitylenecarboxylic acid as specific inhibitors of adenosine triphosphatase from (Kozlov, I. A., Shalamberidze, M. V., Novikova, I. Y., Sokolova, N. I. & Shabarova, Z. A.) 339–343

Mitochondria, heart, rat, modulation by various agents of the efflux of calcium ions from (Harris, E. J.) 673–680

Mitochondria, isolation of ox brain lysosomes by a separation method involving alteration of the sedimentation properties of synaptosomes and (Lisman, J. J. W., de Haan, J. & Overdijk, B.) 79–87

Mitochondria, liver, rat, distribution and characterization of folates in, and cytosol (Cook, R. J. & Blair, J. A.) 651–659

Mitochondria, liver, rat, effect of the administration of thyroxine *in vivo* on the transmembrane protonic electrochemical potential difference of (Shears, S. B. & Bronk, J. R.) 505–507

Mitochondria, liver, rat, effects of the chronic administration of ethanol on the metabolism of sources of energy and on the activity of phospholipase A_2 in (Spach, P. I., Parce, J. W. & Cunningham, C. C.) 23–33

Mitochondria, liver, rat, purification and properties of membrane adenosine triphosphatase released by treatment with chloroform of submitochondrial particles from (Tyler, D. D. & Webb, P. R.) 289–297

Mitochondria, ox and pig, interaction of phospholipid vesicles with malate dehydrogenase monomer from (Webster, K. A., Patel, H. V., Freeman, K. B. & Papahadjopoulos, D.) 147–158

Modeccin, lack of inhibition by ricin and, of the elongation factor 1-dependent binding of aminoacyl-transfer ribonucleic acid to brine-shrimp ribosomes (Sperti, S. & Montanaro, L.) 233–236

Monosaccharides, evidence for carrier-mediated facilitated diffusion of, into rat liver lysosomes (Docherty, K., Brenchley, G. V. & Hales, C. N.) 361–366

Mucosal cells, gastric, rat, isolated, computed resolution and relative specific radioactivities of radiolabelled proteins biosynthesized by (Trotman, C. N. A. & Greenwell, J. R.) 159–164

Muscle, flight, locust, changes in the concentrations of adenine nucleotides and of intermediates of glycolysis and the tricarboxylic acid cycle in, upon flight and their relationship to the control of the cycle (Rowan, A. N. & Newsholme, E. A.) 209–216
Muscle, skeletal, rat and mouse, relationship between isoelectric points and rates of degradation of proteins *in vivo* in, and other tissues (Dice, J. F., Hess, E. J. & Goldberg, A. L.) 305–312
Muscle, skeletal, rat, degradation of leucine by cell-free preparations from (Odessey, R. & Goldberg, A. L.) 475–489
Muscle, skeletal, rat, effect of administration of glucocorticoids on the rate of degradation of proteins of, *in vivo* as measured by the urinary excretion of N^{τ}-methylhistidine (Tomas, F. M., Munro, H. N. & Young, V. R.) 139–146
Muscle, skeletal, rat, turnover of cytochrome *c* in different fibre types of (Terjung, R. L.) 569–574
Muscle, skeletal, rat, Zucker, obese, perfused, resistance to the effect of insulin on the metabolism of glucose in (Kemmer, F. W., Berger, M., Herberg, L., Gries, F. A., Wirdeier, A. & Becker, K.) 733–741

Nerve endings, forebrain, rat, activities of choline kinase and ethanolamine kinase in cytosol of (Spanner, S. & Ansell, G. B.) 753–760
Nerve growth factor, involvement of cytoskeletal structures in the mediation by, of the induction of the activity of ornithine decarboxylase in cultured rat and chick-embryo spinal-cord ganglia (Lakshmanan, J.) 245–248
Nicotinamide–adenine dinucleotide (oxidized) glycohydrolase, liver, mouse, localization of, in the nuclear envelope (Tamulevicius, P., Streffer, C., Roscic, O. & Hubert, E.) 467–473
Nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase, mitochondrial, heart, ox, effects of lipid phase transitions on the interaction of, and ubiquinol–cytochrome *c* oxidoreductase (Heron, C., Gore, M. G. & Ragan, C. I.) 415–426
Nicotinic acid, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by insulin, adenosine, hydrogen peroxide and, of the transport of glucose into (Taylor, W. M. & Halperin, M. L.) 381–389
Nuclear envelope, liver, mouse, localization of oxidized nicotinamide–adenine dinucleotide glycohydrolase in (Tamulevicius, P., Streffer, C., Roscic, O. & Hubert, E.) 467–473
Nuclei, kidney-cell, baby-hamster (BHK-21/C13), isolated, characterization of the system for the biosynthesis of deoxyribonucleic acid in (Burke, J. F. & Pearson, C. K.) 613–620
Nuclei, kidney-cell, baby-hamster (BHK-21/C13), isolated, comparison of the effects of drugs on the biosynthesis of deoxyribonucleic acid in, and by partially purified deoxyribonucleic acid polymerases (Burke, J. F., Duff, P. M. & Pearson, C. K.) 621–626
Nuclei, liver, rat, distribution of conjugates of cholic acid in, and cytosol after the administration of glycocholic acid (Strange, R. C., Beckett, G. J. & Percy-Robb, I. W.) 71–78
Nuclei, liver, rat, normal and regenerating, phosphorylation of histones associated with nucleosomes released by micrococcal nuclease digestion of (Ord, M. G. & Stocken, L. A.) 173–185
Nuclei, liver, rat, stimulation by treatment with cycloheximide of the transport of ribonucleoprotein complexes from, to the cytosol and its relevance to the regulation of the biosynthesis of protein *in vivo* (Ch'ih, J. J., Duhl, D. M., Faulkner, L. S. & Devlin, T. M.) 643–649
Nucleosomes, phosphorylation of histones associated with, released by micrococcal nuclease digestion of nuclei from normal and regenerating rat liver (Ord, M. G. & Stocken, L. A.) 173–185
Nucleotides, use of mixed anhydrides of mesitylenecarboxylic acid and, as specific inhibitors of ox heart mitochondrial adenosine triphosphatase (Kozlov, I. A., Shalamberidze, M. V., Novikova, I. Y., Sokolova, N. I. & Shabarova, Z. A.) 339–343

Oestradiol-17β-receptor protein, cytosol, mammary-gland, calf, use of sodium bromide and heparin–Sepharose in the purification of (Rotondi, A. & Auricchio, F.) 581–587
Oestrogen-receptor protein, cytosol, mammary-gland, calf, use of sodium bromide and heparin–Sepharose in the purification of (Rotondi, A. & Auricchio, F.) 581–587
Oestrous cycle, changes in the activity of female hamster Harderian gland during, and pregnancy and lactation (Payne, A. P., McGadey, J., Moore, M. R. & Thompson, G. G.) 597–604
Ornithine decarboxylase, involvement of cytoskeletal structures in the mediation by nerve growth factor of the induction of the activity of, in cultured rat and chick-embryo spinal-cord ganglia (Lakshmanan, J.) 245–248
Oxidative phosphorylation, *see* Phosphorylation, oxidative
Oxygen, effect of the partial pressure of, on the biosynthesis of protein and the hydroxylation of collagen by mature mouse tooth periodontal tissues in organ culture (Yen, E. H. K., Sodek, J. & Melcher, A. H.) 605–612

Pancreas endocrine cell lines, rat, establishment of, by infection with simian virus 40 (Niesor, E. J., Wollheim, C. B., Mintz, D. H., Blondel, B., Renold, A. E. & Weil, R.) 559–568
Pancreas, mouse, polarization of the fluorescence of chlortetracycline in islets of Langerhans isolated from, and its response to calcium ions and glucose (Täljedal, I.-B.) 187–193
Pancreas, rat, interaction *in vitro* between F-actin and insulin-storage granules from islets of Langerhans from (Howell, S. L. & Tyhurst, M.) 367–371
Periodontal tissues, tooth, mouse, mature, effect of the partial pressure of oxygen on the biosynthesis of protein and the hydroxylation of collagen by, in organ culture (Yen, E. H. K., Sodek, J. & Melcher, A. H.) 605–612
Peroxide, hydrogen, role of adenosine 3′:5′-cyclic monophosphate in the stimulation by insulin, adenosine, nicotinic acid and, of the transport of glucose into (Taylor, W. M. & Halperin, M. L.) 381–389

pH gradient, transmembrane, transmembrane electrical potential and, in *Thiobacillus ferro-oxidans* (Cox, J. C., Nicholls, D. G. & Ingledew, W. J.) 195–200

Phagosomes, inhibition of the discharge of endocytosed proteins from, into lysosomes in cultured hepatoma cells exposed to dimerized ribonuclease A (Bartholeyns, J., Quintart, J. & Baudhuin, P.) 433–442

Phenols, 4-alkyl-, demonstration of two functionally heterogeneous groups within the activities of rat liver uridine diphosphate glucuronosyltransferases towards a series of, during perinatal development (Wishart, G. J. & Campbell, M. T.) 443–447

Phenylalanine, artificially induced active transport of, driven by the efflux of a sugar via a heterologous transport system in de-energized *Escherichia coli* (Bentaboulet, M., Robin, A. & Kepes, A.) 103–107

Phenylalanine, pools of, and other amino acids and kinetics of their incorporation into protein in HeLa cells (Robertson, J. H. & Wheatley, D. N.) 699–709

Phenylalanyl-transfer ribonucleic acid, lack of inhibition by ricin and modeccin of the elongation factor 1-dependent binding of, to brine-shrimp ribosomes (Sperti, S. & Montanaro, L.) 233–236

Phosphatase, alkaline, changes in the properties and activities of, and other rat small-intestinal brush-border enzymes along the villus–crypt axis during postnatal development (Simon, P. M., Kedinger, M., Raul, F., Grenier, J. F. & Haffen, K.) 407–413

Phosphate, inorganic, coupling of energy to the transport of, by *Escherichia coli* K12 (Rosenberg, H., Gerdes, R. G. & Harold, F. M.) 133–137

Phosphate, inorganic, effects of surface potential on the interaction of cations with the uptake of, by *Saccharomyces cerevisiae* (Roomans, G. M. & Borst-Pauwels, G. W. F. H.) 521–527

Phosphatidate, effects of barbiturates on the metabolism of phosphatidylinositol and, in rat brain synaptosomes (Miller, J. C. & Leung, I.) 9–13

Phosphatidylinositol, effects of barbiturates on the metabolism of phosphatidate and, in rat brain synaptosomes (Miller, J. C. & Leung, I.) 9–13

Phosphatidylinositol, effects of vasopressin and related peptides on the activity of glycogen phosphorylase and the metabolism of, in isolated rat hepatocytes (Kirk, C. J., Rodrigues, L. M. & Hems, D. A.) 493–496

Phosphatidylinositol, evidence for a role of the turnover of, in the coupling of stimulation by immunoglobulin E-directed and other ligands and the secretion of histamine by rat peritoneal mast cells (Cockcroft, S. & Gomperts, B. D.) 681–687

Phosphatidylinositol, inhibition after prolonged exposure to 5-hydroxytryptamine of the entry of calcium ions into and the biosynthesis of, by blowfly salivary gland (Berridge, M. J. & Fain, J. N.) 59–69

Phosphatidylinositol, membrane-bound, stimulation by fatty acids of the hydrolysis of, by rat brain phosphatidylinositol phosphodiesterase (Irvine, R. F., Letcher, A. J. & Dawson, R. M. C.) 497–500

Phosphatidylinositol phosphodiesterase, brain, rat, stimulation by fatty acids of the hydrolysis of membrane-bound phosphatidylinositol by (Irvine, R. F., Letcher, A. J. & Dawson, R. M. C.) 497–500

Phosphatidylinositol, relationship between the stimulation by 5-hydroxytryptamine of the secretion of fluid, the transport of calcium ions and the hydrolysis of, by blowfly salivary gland (Fain, J. N. & Berridge, M. J.) 45–58

Phospholipase A_2, effects of the chronic administration of ethanol on the metabolism of sources of energy and on the activity of, in rat liver (Spach, P. I., Parce, J. W. & Cunningham, C. C.) 23–33

Phospholipid vesicles, interaction of ox and pig mitochondrial malate dehydrogenase monomer with (Webster, K. A., Patel, H. V., Freeman, K. B. & Papahadjopoulos, D.) 147–158

Phospholipids, effects of barbiturates on the metabolism of, in rat brain synaptosomes (Miller, J. C. & Leung, I.) 9–13

Phosphorylase, effects of vasopressin and related peptides on the activity of, and the metabolism of phosphatidylinositol in isolated rat hepatocytes (Kirk, C. J., Rodrigues, L. M. & Hems, D. A.) 493–496

Phosphorylase kinase, evidence that the stimulation by fructose of the activity of, in isolated rat hepatocytes is related to consumption of adenosine triphosphate (van de Werve, G. & Hers, H.-G.) 119–126

Phosphorylation, oxidative, in preparations of *Pseudomonas* AM1 and its relevance to the metabolism of methanol by the organism (Netrusov, A. I. & Anthony, C.) 353–360

Pinocytosis, rate of capture by, of macromolecular substrates by rat yolk-sac incubated in serum-free culture medium (Ibbotson, G. E. & Williams, K. E.) 785–792

Pituitary gland, effects of removal of, on the rates of biosynthesis and degradation of protein in rat liver (Conde, R. D.) 725–731

Plasma, mammalian, comparison of the properties of collagen glucosyltransferases present in, and platelets of various species (Menashi, S. & Grant, M. E.) 777–784

Plasma membrane, *see* Membrane, plasma

Plasma proteins, *see* Proteins, plasma

Plasma, rat, effects of litter size on the concentration of insulin in, and on the activity of lipoprotein lipase and the number and size of fat-cells in four depots of adipose tissue during the first four weeks after birth of the animals (Cryer, A. & Jones, H. M.) 711–724

Platelets, human, effects of colchicine on, under conditions of short-term incubation (Ribbi-Jaffe, A. & Apitz-Castro, R.) 449–454

Platelets, human, role of adenosine 3′:5′-cyclic monophosphate in the effects of collagen, ionophore A23187 and prostaglandin E_1 on the phosphorylation of specific proteins in (Haslam, R. J., Lynham, J. A. & Fox, J. E. B.) 397–406

Platelets, mammalian, comparison of the properties of collagen glucosyltransferases present in, and plasma of various species (Menashi, S. & Grant, M. E.) 777–784

Polyamines, replacement by magnesium ions of some of the functions of, in BHK-21/C13 baby-hamster kidney cells (Melvin, M. A. L. & Keir, H. M.) 391–395

Polyamines, suppression by DL-α-difluoromethylornithine and methylglyoxal bis(guanylhydrazone) of the formation of, and macromolecules in phytohaemagglutinin-activated human lymphocytes (Hölttä, E., Jänne, J. & Hovi, T.) 109–117
Polyprenyl phosphate sugars, biosynthesis of, during the production of slime polysaccharides by maize root-cap-cell membranes (Green, J. R. & Northcote, D. H.) 661–671
Polysaccharides, slime, biosynthesis of polyprenyl phosphate sugars during the production of, by maize root-cap-cell membranes (Green, J. R. & Northcote, D. H.) 661–671
Porphyrins, changes in the production of, and other activities in female hamster Harderian gland during the oestrous cycle, pregnancy and lactation (Payne, A. P., McGadey, J., Moore, M. R. & Thompson, G. G.) 597–604
Potential difference, electrochemical, protonic, transmembrane, effect of the administration of thyroxine *in vivo* on, of rat liver mitochondria (Shears, S. B. & Bronk, J. R.) 505–507
Potential, surface, effects of, on the interaction of cations with the uptake of inorganic phosphate by *Saccharomyces cerevisiae* (Roomans, G. M. & Borst-Pauwels, G. W. F. H.) 521–527
Pregnancy, changes in the activity of female hamster Harderian gland during the oestrous cycle and, and lactation (Payne, A. P., McGadey, J., Moore, M. R. & Thompson, G. G.) 597–604
Progesterone, distinction between the binding sites for glucocorticoids and, in lactating mouse mammary gland (Shyamala, G. & McBlain, W. A.) 345–352
Progestins, distinction between the binding sites for glucocorticoids and, in lactating mouse mammary gland (Shyamala, G. & McBlain, W. A.) 345–352
Prolactin, characterization of the binding of, by preparations of rat liver plasma membrane (Silverstein, A. M. & Richards, J. F.) 743–751
Proline, artificially induced active transport of, driven by the efflux of a sugar via a heterologous transport system in de-energized *Escherichia coli* (Bentaboulet, M., Robin, A. & Kepes, A.) 103–107
Proline, pools of, and other amino acids and kinetics of their incorporation into protein in HeLa cells (Robertson, J. H. & Wheatley, D. N.) 699–709
Proline, transport of, by newborn rat kidney brush-border membrane vesicles (Goldmann, D. R., Roth, K. S., Langfitt, T. W., Jr. & Segal, S.) 253–256
Prolyl 3-hydroxylase, activities of prolyl 4-hydroxylase and, in various rat and chick-embryo tissues and changes in these activities during postnatal development in the rat (Tryggvason, K., Majamaa, K. & Kivirikko, K. I.) 127–131
Prolyl hydroxylase, turnover of the tetrameric form of, and of the corresponding monomer-size protein in chick-embryo cartilaginous bone and lung *in vivo* (Majamaa, K., Kuutti-Savolainen, E.-R., Tuderman, L. & Kivirikko, K. I.) 313–322
Prostaglandin E_1, role of adenosine 3′:5′-cyclic monophosphate in the effects of collagen, ionophore A23187 and, on the phosphorylation of specific proteins in human platelets (Haslam, R. J., Lynham, J. A. & Fox, J. E. B.) 397–406
Protein, effect of metabolic conditions on the turnover of, in *Saccharomyces cerevisiae* (López, S. & Gancedo, J. M.) 769–776
Protein, effect of the partial pressure of oxygen on the biosynthesis of, and the hydroxylation of collagen by mature mouse tooth periodontal tissues in organ culture (Yen, E. H. K., Sodek, J. & Melcher, A. H.) 605–612
Protein, effects of hypophysectomy on the rates of biosynthesis and degradation of, in rat liver (Conde, R. D.) 725–731
Protein, effects of starvation on the rate of biosynthesis of, in rat liver and small intestine (McNurlan, M. A., Tomkins, A. M. & Garlick, P. J.) 373–379
Protein, endocytosed, inhibition of the discharge of, from phagosomes into lysosomes in cultured hepatoma cells exposed to dimerized ribonuclease A (Bartholeyns, J., Quintart, J. & Baudhuin, P.) 433–442
Protein, oestrogen-receptor, cytosol, mammary-gland, calf, use of sodium bromide and heparin–Sepharose in the purification of (Rotondi, A. & Auricchio, F.) 581–587
Protein, pools of amino acids and kinetics of their incorporation into, in HeLa cells (Robertson, J. H. & Wheatley, D. N.) 699–709
Protein, stimulation by treatment with cycloheximide of the transport of ribonucleoprotein complexes from nuclei to cytosol in rat liver and its relevance to the biosynthesis of, *in vivo* (Ch'ih, J. J., Duhl, D. M., Faulkner, L. S. & Devlin, T. M.) 643–649
Protein, suppression by DL-α-difluoromethylornithine and methylglyoxal bis(guanylhydrazone) of the formation of polyamines and of, and other macromolecules in phytohaemagglutinin-activated human lymphocytes (Hölttä, E., Jänne, J. & Hovi, T.) 109–117
Proteins, effects of carbon tetrachloride on the secretion of lipoproteins and, by isolated rat hepatocytes (Gravela, E., Albano, E., Dianzani, M. U., Poli, G. & Slater, T. F.) 509–512
Proteins, plasma, differential effects of clofibrate on alterations in the concentrations of, in rat blood induced by inflammation (Powanda, M. C., Abeles, F. B., Bostian, K. A., Fowler, J. P. & Hauer, E. C.) 633–641
Proteins, plasma, effects of hypophysectomy on the rates of biosynthesis and degradation of, and other proteins in rat liver (Conde, R. D.) 725–731
Proteins, radiolabelled, computed resolution and relative specific radioactivities of, biosynthesized by isolated rat gastric mucosal cells (Trotman, C. N. A. & Greenwell, J. R.) 159–164
Proteins, rate of capture by pinocytosis of, by rat yolk-sac incubated in serum-free culture medium (Ibbotson, G. E. & Williams, K. E.) 785–792
Proteins, relationship between isoelectric points and rates of degradation of, *in vivo* in various mammalian tissues (Dice, J. F., Hess, E. J. & Goldberg, A. L.) 305–312
Proteins, skeletal-muscle, rat, effect of administration of glucocorticoids on the rate of degradation of, *in vivo* as measured by urinary excretion of N^{τ}-methylhistidine (Tomas, F. M., Munro, H. N. & Young, V. R.) 139–146

Proteins, specific, role of adenosine 3′:5′-cyclic monophosphate in the effects of collagen, ionophore A23187 and prostaglandin E_1 on the phosphorylation of, in human platelets (Haslam, R. J., Lynham, J. A. & Fox, J. E. B.) 397–406

Protons, role of, in the artificially induced active transport of amino acid driven by the efflux of a sugar via a heterologous transport system in de-energized *Escherichia coli* (Bentaboulet, M., Robin, A. & Kepes, A.) 103–107

Pseudomonas AM1, oxidative phosphorylation in preparations of membranes from, and its relevance to the metabolism of methanol by the organism (Netrusov, A. I. & Anthony, C.) 353–360

Quinone, participation of, and cytochrome *b* in the *Citrobacter freundii* respiratory chain involved in the reduction of tetrathionate (Novotný, Č. & Kaprálek, F.) 237–240

Red blood cells, *see* Erythrocytes

Respiration, fuels of, in isolated rat and chicken small-intestine enterocytes (Watford, M., Lund, P. & Krebs, H. A.) 589–596

Respiratory chain, *Citrobacter freundii*, participation of quinone and cytochrome *b* in, involved in the reduction of tetrathionate (Novotný, Č. & Kaprálek, F.) 237–240

Ribonuclease A, dimerized, inhibition of the discharge of endocytosed protein from phagosomes into lysosomes in cultured hepatoma cells exposed to (Bartholeyns, J., Quintart, J. & Baudhuin, P.) 433–442

Ribonuclease, calcium ion-stimulated, characterization of, as a marker enzyme for the differentiation of lactating rat mammary gland (Liu, D. K., Kulick, D. & Williams, G. H.) 241–244

Ribonucleic acid, suppression by DL-α-difluoromethylornithine and methylglyoxal bis(guanylhydrazone) of the formation of polyamines and of, and other macromolecules in phytohaemagglutinin-activated human lymphocytes (Hölttä, E., Jänne, J. & Hovi, T.) 109–117

Ribonucleic acid, transfer, aminoacyl-, lack of inhibition by ricin and modeccin of the elongation factor 1-dependent binding of, to brine-shrimp ribosomes (Sperti, S. & Montanaro, L.) 233–236

Ribonucleic acids, balance between anabolism and catabolism of [5-^{3}H]uridine and its relationship to the labelling of, in mouse liver after partial hepatectomy (Yngner, T., Englebrecht, C., Lewan, L. & Annerfeldt, J.-E.) 1–8

Ribonucleoprotein complexes, stimulation by treatment with cycloheximide of the transport of, from nuclei to cytosol in rat liver and its relevance to the regulation of the biosynthesis of protein *in vivo* (Ch'ih, J. J., Duhl, D. M., Faulkner, L. S. & Devlin, T. M.) 643–649

Ribosomes, brine-shrimp, lack of inhibition by ricin and modeccin of the elongation factor 1-dependent binding of aminoacyl-transfer ribonucleic acid to (Sperti, S. & Montanaro, L.) 233–236

Ricin, lack of inhibition by modeccin and, of the elongation factor 1-dependent binding of aminoacyl-transfer ribonucleic acid to brine-shrimp ribosomes (Sperti, S. & Montanaro, L.) 233–236

Root-cap cells, maize, biosynthesis of polyprenyl phosphate sugars during the production of slime polysaccharides by membranes of (Green, J. R. & Northcote, D. H.) 661–671

Roots, storage, beet, location of acid β-fructofuranosidase and sucrose in vacuoles in (Leigh, R. A., ap Rees, T., Fuller, W. A. & Banfield, J.) 539–547

Saccharomyces cerevisiae, effect of metabolic conditions on the turnover of protein in (López, S. & Gancedo, J. M.) 769–776

Saccharomyces cerevisiae, effects of surface potential on the interaction of cations with the uptake of inorganic phosphate by (Roomans, G. M. & Borst-Pauwels, G. W. F. H.) 521–527

Salivary gland, blowfly, inhibition after prolonged exposure to 5-hydroxytryptamine of the biosynthesis of phosphatidylinositol by and the entry of calcium ions into (Berridge, M. J. & Fain, J. N.) 59–69

Salivary gland, blowfly, relationship between the stimulation by 5-hydroxytryptamine of the hydrolysis of phosphatidylinositol, the secretion of fluid and the transport of calcium ions by (Fain, J. N. & Berridge, M. J.) 45–58

Schistocerca gregaria, *see* Locust

Serotonin, *see* 5-Hydroxytryptamine

Serum, human, detection, purification and characterization of a glycopeptide from, and tumour effusions from tumour-bearing patients that acts as an acceptor for galactosyltransferase (Podolsky, D. K. & Weiser, M. M.) 279–287

Simian virus 40, establishment of rat pancreatic endocrine cell lines by infection with (Niesor, E. J., Wollheim, C. B., Mintz, D. H., Blondel, B., Renold, A. E. & Weil, R.) 559–568

Skeletal muscle, *see* Muscle, skeletal

Skin fibroblasts, human, foetal, cultured, structure and metabolism of glycosaminoglycans in (Sjöberg, I., Carlstedt, I., Cöster, L., Malmström, A. & Fransson, L.-Å.) 257–270

Skin, rat and chick-embryo, activities of prolyl 3-hydroxylase and prolyl 4-hydroxylase in, and other tissues and changes in these activities during postnatal development in the rat (Tryggvason, K., Majamaa, K. & Kivirikko, K. I.) 127–131

Slime polysaccharides, *see* Polysaccharides, slime

Small intestine, *see* Intestine, small

Sodium ions, coupling of, to the uptake of taurocholate by hamster small-intestinal brush-border membrane vesicles (Beesley, R. C. & Faust, R. G.) 299–303

Sodium ions, modulation by, and other agents of the efflux of calcium ions from rat heart mitochondria (Harris, E. J.) 673–680

Spermidine, replacement by magnesium ions of some of the functions of, and other polyamines in BHK-21/C13 baby-hamster kidney cells (Melvin, M. A. L. & Keir, H. M.) 391–395

Spinal cord, rat and chick-embryo, involvement of cytoskeletal structures in the mediation by nerve growth factor of the induction of the activity of ornithine decarboxylase in cultured ganglia from (Lakshmanan, J.) 245–248

Sporulation, dependence on energy of the accumulation of calcium ions during, of *Bacillus megaterium* KM (Hogarth, C. & Ellar, D. J.) 627–632
Starvation, effects of, on hepatic intermediary metabolism, on ketogenesis and on ketonaemia in the non-lactating cow (Baird, G. D., Heitzman, R. J., Reid, I. M., Symonds, H. W. & Lomax, M. A.) 35–44
Starvation, effects of, on the rate of biosynthesis of protein in rat liver and small intestine (McNurlan, M. A., Tomkins, A. M. & Garlick, P. J.) 373–379
Steroids, glucocorticoid, distinction between the binding sites for progestins and, in lactating mouse mammary gland (Shyamala, G. & McBlain, W. A.) 345–352
Stomach, rat, computed resolution and relative specific radioactivities of radiolabelled proteins biosynthesized by gastric mucosal cells isolated from (Trotman, C. N. A. & Greenwell, J. R.) 159–164
Submitochondrial particles, heart, ox, use of mixed anhydrides of nucleotides and mesitylenecarboxylic acid as specific inhibitors of adenosine triphosphatase from (Kozlov, I. A., Shalamberidze, M. V., Novikova, I. Y., Sokolova, N. I. & Shabarova, Z. A.) 339–343
Submitochondrial particles, liver, rat, purification and properties of mitochondrial membrane adenosine triphosphatase released from, by treatment with chloroform (Tyler, D. D. & Webb, P. R.) 289–297
Sucrose, location of acid β-fructofuranosidase and, in beet storage-root vacuoles (Leigh, R. A., ap Rees, T., Fuller, W. A. & Banfield, J.) 539–547
Sugar, artificially induced active transport of amino acid driven by the efflux of, via a heterologous transport system in de-energized *Escherichia coli* (Bentaboulet, M., Robin, A. & Kepes, A.) 103–107
Sugars, evidence for carrier-mediated facilitated diffusion of, into rat liver lysosomes (Docherty, K., Brenchley, G. V. & Hales, C. N.) 361–366
Supernatant fraction, *see* Cytosol
Synaptosomes, brain, rat, effects of barbiturates on the metabolism of phosphatidate and phosphatidylinositol in (Miller, J. C. & Leung, I.) 9–13
Synaptosomes, forebrain, rat, activities of choline kinase and ethanolamine kinase in cytosol of (Spanner, S. & Ansell, G. B.) 753–760
Synaptosomes, isolation of ox brain lysosomes by a separation method involving alteration of the sedimentation properties of mitochondria and (Lisman, J. J. W., de Haan, J. & Overdijk, B.) 79–87

Taurocholate, coupling of sodium ions to the uptake of, by hamster small-intestinal brush-border membrane vesicles (Beesley, R. C. & Faust, R. G.) 299–303
Teeth, mouse, effect of the partial pressure of oxygen on the biosynthesis of protein and the hydroxylation of collagen by mature periodontal tissues from, in organ culture (Yen, E. H. K., Sodek, J. & Melcher, A. H.) 605–612
Tetrathionate, participation of quinone and cytochrome *b* in the *Citrobacter freundii* respiratory chain involved in the reduction of (Novotný, Č. & Kaprálek, F.) 237–240
Thiobacillus ferro-oxidans, transmembrane electrical potential and transmembrane pH gradient in (Cox, J. C., Nicholls, D. G. & Ingledew, W. J.) 195–200
Thiol groups, role of, in the binding of prolactin by preparations of rat liver plasma membrane (Silverstein, A. M. & Richards, J. F.) 743–751
Thyroid hormones, involvement of adenosine and, in the regulation of lipolysis in rat adipocytes (Ohisalo, J. J. & Stouffer, J. E.) 249–251
Thyroxine, effect of the administration of, *in vivo* on the transmembrane protonic electrochemical potential difference of rat liver mitochondria (Shears, S. B. & Bronk, J. R.) 505–507
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Tricarboxylic acid cycle, changes in the concentrations of adenine nucleotides and of intermediates of glycolysis and, in locust flight muscle upon flight and their relationship to the control of the cycle (Rowan, A. N. & Newsholme, E. A.) 209–216
Trypanosoma brucei, selective tryptic cleavage of variant surface glycoproteins from (Johnson, J. G. & Cross, G. A. M.) 689–697
Tryptophan, enhancement by the chronic administration of ethanol of the metabolism of, in rat brain and the possible involvement of a decreased activity of tryptophan pyrrolase in the liver (Badawy, A. A.-B., Punjani, N. F. & Evans, M.) 575–580
Tryptophan pyrrolase, possible involvement of a decreased activity of, in rat liver in the enhancement by the chronic administration of ethanol of the metabolism of tryptophan in rat brain (Badawy, A. A.-B., Punjani, N. F. & Evans, M.) 575–580
Tumour effusions, human, detection, purification and characterization of a glycopeptide from, and serum from tumour-bearing patients that acts as an acceptor for galactosyltransferase (Podolsky, D. K. & Weiser, M. M.) 279–287

Ubiquinol–cytochrome *c* oxidoreductase, mitochondrial, heart, ox, effects of lipid phase transitions on the interaction of, and nicotinamide–adenine dinucleotide–cytochrome *c* oxidoreductase (Heron, C., Gore, M. G. & Ragan, C. I.) 415–426
[5-^{3}H]Uridine, balance between anabolism and catabolism of, and its relationship to the labelling of ribonucleic acids in mouse liver after partial hepatectomy (Yngner, T., Engelbrecht, C., Lewan, L. & Annerfeldt, J.-E.) 1–8
Uridine diphosphate glucuronosyltransferases, liver, rat, demonstration of two functionally heterogeneous groups within the activities of, towards a series of 4-alkylphenols during perinatal development (Wishart, G. J. & Campbell, M. T.) 443–447
Uridine, use of *S*-(*N*-dansylaminoethyl)-6-mercaptoguanosine as a fluorescent probe for the system for the transport of, across the human erythrocyte membrane (Shohami, E. & Koren, R.) 271–277
Urine, identification of *p*-acetamidobenzoate as a metabolite of folates in, in the rat (Connor, M. J., Pheasant, A. E. & Blair, J. A.) 795–797

Vacuoles, beetroot, location of acid β-fructofuranosidase and sucrose in (Leigh, R. A., ap Rees, T., Fuller, W. A. & Banfield, J.) 539–547

Vasopressin, effects of, and related peptides on the activity of glycogen phosphorylase and the metabolism of phosphatidylinositol in isolated rat hepatocytes (Kirk, C. J., Rodrigues, L. M. & Hems, D. A.) 493–496
Virus, simian, *see* Simian virus
Vitamin K_1 (2-methyl-3-phytyl-1,4-naphthoquinone), lack of strict coupling of vitamin K_1-dependent carboxylation and the epoxidation of, in detergent-solubilized rat liver microsomal fraction (Wallin, R.) 513–519

Yeast (*Candida albicans*), induction of enzymes involved in the catabolism of *N*-acetylglucosamine in spheroplasts of (Singh, B. & Datta, A.) 427–431
Yeast (*Saccharomyces cerevisiae*), effect of metabolic conditions on the turnover of protein in (López, S. & Gancedo, J. M.) 769–776
Yeast (*Saccharomyces cerevisiae*), effects of surface potential on the interaction of cations with the uptake of inorganic phosphate by (Roomans. G. M. & Borst-Pauwels, G. W. F. H.) 521–527
Yolk-sac, rat, rate of capture by pinocytosis of macromolecular substrates by, incubated in serum-free culture medium (Ibbotson, G. E. & Williams, K. E.) 785–792

Zea mays, *see* Maize